GENERAL INDEX TO VOLUME 13, 1976

(New names are indicated by **boldface** type, synonyms by *italics*.)

abortion, epizootic bovine.....292
foothill 292
Acanthocheilonema perstans.....260
Acanthopsylla.....217, 679
richardsoni 679
Acari....137, 292, 304, 315, 351, 493, 506, 587, 685, 701, 709
acariasis 639, 641–43
acaricide, see pesticide
Acaridae.....368, 710
Acariformes 365
Acarina....26–27, 99, 122, 216, 219, 222–23, 304, 346, 357, 398–99, 501, 627, 713, 718, 735, 737
Acaroidea 365
Acarus.....395
farris 365
immobilis 365
siro.....244, 366
Aedeomyia 720
africana.....174
catasticta 724
Aedes 125, 193–97, 206, 232, 244, 445–59, 464–67, 471, 478–81, 484, 516–17, 533, 574, 603, 700, 706, 719, 743, 751
abserratus 478, 483, 743
abserratus-punctor 447
aegypti....123, 127, 147, 150, 197, 208, 232, 282, 291, 304–05, 321–13, 345, 350, 396–97, 399–400, 402, 419, 458–61, 485, 517, 531–34, 725, 751
africanus.....507, 512
albolineatus 725
albopictus.....469, 531–34, 725
alboscutellatus 720
albothorax 174
alternatus 516
amesii 725
annandalei 725
argenteopunctatus 174
argenteus 725
atlanticus 699
atropalpus 112, 193
aurantias.....724
aurantias.....724
aureostriatus.....725
australis 49–50, 540
avistyla 725
avistylus 725
bancroftianus 516
butleri 725
canadensis..447, 449, 478, 480, 483, 741
cancricomes 725
cantans 536
celebicus 725
churchillensis 707
cinereus.....244, 448, 478
circumluteolus...175, 177, 203–04, 206–07
communis 707
communis complex 707
cooki.....193–96, 464–67
curtipes 725
dentatus 177
desmotes 725
dorsalis 449
dux 720
excrucians.....478–80, 483, 743
fasciata 725
fitchii.....478, 743
flavipennis avistyla 725
fumidus 725
funereus 451
furvus 725
gardnerii 725
hebrideus 463
hendersoni 707
impatabilis 725
kabaenensis 725
laniger.....724
lineatopennis....174, 203–04, 206, 725
longirostris 725
lowisii 725
mamoedjoensis 725
neomacrodixoa 725
nevadensis 707
niveus 725
niveus 725
normanensis 516
notoscriptus 516
panayensis 725
paullusi 725
pernotatus 463
poecilia 725
poecilius 725
poecilus 725
polynesiensis...147, 193–96, 463–68, 470–71
prominens.....725
pseudoalbolineatus 725
pseudonormanensis 516
pseudoscutellaris...193–97, 463–68
punctor....448, 478, 480, 483, 743
scapularis 299, 301
scutellaris 463, 725
katherinensis 463
malayensis 463–64, 467
scutellaris complex.....464
scutellaris group.....193, 463
scutellaris subgroup.....193, 725
sierrensis 603, 705
sollicitans 447, 449, 744
stevensoni 725
stimulans....397, 447–49, 478–79, 603, 743
tabu.....467
taeniorhynchus 285, 512
theobaldi eidsvoldensis 516
thurmanae 725
togoi 531–34, 593
tonsus 725
tremulus 516
trichurus.....478–79, 743
triseriatus.....112, 283, 447–48, 700, 705
trivittatus 699, 743
variegatus 725
vexans...385, 447–49, 478–79, 481, 613, 699–700, 725, 743–44
vexans 725
vigilax 451–52, 724
451–52, 724
vittiger 516
Aedimorphus.....174, 177, 725
Aeshna 541
Agamofilaria tabanicola.....261, 266
Agriocnemis inversa 541
algae.....159–60, 268
Allanalges 737
podagricus 738
Allodectinae 737
Alloptidae 737
Alloptinae.....737
Amblyomma.....41–43, 308, 380, 695–96, 701
americanum.....216, 390–91, 414, 685, 701, 713
geayi 299
gertschi 299
hebraeum 638
loculosum 516
maculatum.....579, 645, 701
testudinis.....398, 405
variegatum 638
American dog tick.....504
Ameronothroidea 365
Ameroseiidae 365
Amoebidium 540
Amphipsylla neotomae 162, 165
Analgidae 740
Analgoidea 737
Anaplasma marginale..235–39, 248, 267, 298
anaplasmosis..235–38, 268, 567, 636
Ancala africana.....254
fasciata nilotica.....254
Androlaelaps fahrenholzi.....56
hermaphrodita 589
anemia, equine infectious.....230–31
Anomiopsyllus 676
Anopheles....147, 173, 244, 388, 446, 517, 541, 574, 594, 608, 719–20, 722–23, 751
aberrans 594
aconitus 9, 17, 612, 723
aitkeni 722
bengalensis 723
aitkenii 722–23
aitkenii group.....594
albimanus....4, 10–11, 13, 17–21, 282, 522, 553
albotaeniatus 722
amictus 516
annularis.....382
annulipes 512, 516

argyritarsis 299
aztecus 4, 10
baezai 722
balabacensis 14, 18
bancrofti 723
  barbiventris 723
  pseudobarbirostris 723
barbirostris 611, 719
  barbumbrosus 723
  innominata 722
  typicus 723
barbirostris group 594
barbumbrosus 722–23
bengalensis 723
campestris 594, 720
caroni 385
coustani 173
coustani group 538
crucians 20–21
culicifacies 2–3, 8, 14, 17, 214, 382
darlingi 4, 18
donaldi 722
dthali 20
farauti 18, 720, 723
flavirostris 723
fluviatilis 2–3, 8, 17–18, 20
fragilis 723
freeborni 20, 383–86
fuliginosus 723
funestus 4, 18–19, 173–77, 204, 207, 214, 384, 511
gambiae 1–2, 4–5, 17–21, 173–77, 203–04, 207, 211, 384, 511–12, 536–44, 553
gambiae complex 535, 707
gigas 723
  formosana 723
  formosus 723
hamoni 385
hyrcanus 14, 383
  nigerrima 723
  nigerrimus 723
  sinensis 723
hyrcanus group 594
indefinitus 723
indiensis 723
insulaeflorum 723
karwari 723
kochi 723
  torokala 723
labranchiae 1, 7
  atroparvus 382–83, 534
letifer 723
leucosphyrus 723
  hackeri 723
  sulawesi 723
ludlowae 723
  torokala 723
ludlowi 723
  sundaica 724
  torokala 723
maculatus 531, 533–34
maculipennis 383
atroparvus 244
messeae 382–83, 385
melas 21, 507–12
minimus 723
  flavirostris 3, 9, 18, 612, 723
  varuna 724
nigerrimus 720, 722–23
nili 173
nuneztovari 10, 18, 20
palmatus 723
parangensis 723
peditaeniatus 720, 722–23
pharoensis 8, 18, 21, 173, 203–04, 206–07, 512, 538
philippinensis 3
pseudobarbirostris 723
pseudopunctipennis 4–5, 10, 17–18
pulcherrimus 14, 20
punctipennis 447
punctulatus 18, 720, 723
  moluccensis 723
  tessellatus 724
quadrimaculatus 4, 10, 20–21, 304–05, 312–13, 385–86, 396
rossi 723
sacharovi 1, 7, 14, 17–18, 20, 449
separatus 723
sergenti 18–19
sinensis 723
stephensi 8, 14, 17, 20
subpictus 612–13, 723
  malayensis 723
  sulawesi 723
sundaicus 9, 17–18, 612
superpictus 1, 7, 18, 20, 383
tesselatus 720, 724
  kalawara 724
  orientalis 724
typicus 383
umbrosus 723
umbrosus group 594
vagus 612–13, 724
  albino 724
vanus 722–23
varuna 724
venhuisi 723
wellcomei 173
ziemanni 203–04, 206–07, 538
Anoplura 122
ant 540, 542, 696
Anthomus grandis 634
anthrax 192, 239–41, 268
Aphaniptera 122
aphid 567
Apodemus speciosus 107
Aponomma 380
  hydrosauri 137
Arachnida 346
Araneida 143, 346, 541
arbovirus, see virus
Argas 66–69, 307, 441, 609
  africolumbae 441
  arboreus 66–68, 609
  columbarum 99
  cooleyi 99
  hermanni 66–68
  persicus 99, 123–24, 390, 405
  pusillus 66
  reflexus 400
  transgariepinus 66–69
  vespertilionis 66–69
Argasidae 65, 99, 219, 292, 312, 407, 441, 609, 627
Armigeres 451, 534, 575, 720, 725
  annulipalpis 725
  candelabrifer 725
  longipalpis 725
  malayi 725
  moultoni 725
  obturans 725
  subalbatus 531–34
Arrenurus 481, 484
arthropod 121, 179, 192, 629, 687, 695–96, 705
  eradication programs for livestock parasites 629
  ingestion 121
Arthropoda 696
Ascaridia galli 617
Ascidae 365
Ascodipterinae 586
Ascodipteron 374
  archboldi 375
  australiense 375
  emballonurae 375
  phyllorhinae 375
  siamense 375
  speiserianum 375
assassin bug, assembly pheromone 727
asthma 361, 400, 709
Astigmata 365, 639
Astivalius 659, 669, 671
Atylotus 226
  agrestis 254
  diurnus 254
  flavoguttatus 228
  karybenthinus 228
  macer 228
  nemoralis 252–55
  nigromaculatus 249
  pulchellus 229
  quadrifarius 228
  rusticus 229
  tomentosus 252, 255
Atyphloceras multidentatus 54
Austrosimulium bancrofti 514–15
  pestilens 516
babesiosis 390
  bovine 630–32, 634, 636, 653
bacillus, anthrax 239–41
  tularemia 243–46
Bacillus anthracis 239–41, 248, 267
  bubalseptica 241
  polaris septicus 241
  tularense 242
bacteria 159–60, 241, 248, 268, 600–01, 630
Balustium schweizeri 365
Basilia 586
bat fly 374, 586
  new record 374
bed bug 127, 394, 399–400
beetle 543, 676, 696, 733
  water 114
beriberi 346
Berosus cuspidatus 541
  vittatus 541
Besnoitia besnoiti 248–49

besnoitiosis....248–49, 268
Bicentralges....737
bilharziasis....535
biting midge....157, 221, 452, 516
  distribution in salt marsh....545
  laboratory larval medium....157
  seasonal changes....151
black fly....**123, 135, 231, 337,** 402, 416, 418, 516, 621, 623
  emergence patterns....514
  feeding....337
  physiological age....621
  rearing....337
  transmission of Leucocytozoon..337
blackleg....241
Blaps sulcata....733
Blastocrithidia....250–51
Blatella germanica....350, 732
Blattidae....625
Blomia freemani....365
blow fly....127–28, 643–44
boll weevil....634
Boophilus....266, 308, 380, 404, 629–37, 653
  annulatus....630–33, 636
  decoloratus....632, 634
  microplus..266, 390–92, 396–400, 404, 406, 408, 410–11, 414–15, 417–18, 631–38
Boopidae....169
borer, rice stem....539
Borrelia hermsi....298
bot fly....61
  resistance in rodents....61
Bovicola bovis....172, 397, 417, 628
  equi....172
  tibialis....169
Brachytarsina....586
Brachythemis lacustris....541
Breinlia booliati....531
brown dog tick....701
brown recluse spider....144–45
Brucella....246, 248
  abortus....246
  melitensis....246
  suis....246
brucellosis....192, 296
Brugia malayi....534, 613
  pahangi....534
  patei....534
buffalo sickness....241–42
bug....**123,** 727–33
  assassin, assembly pheromone..727
  bed....127, 394, 399–400
bunyavirus, see virus
caddisfly....106
Caenis....541
Calcealges....738
Calliphora....128, 567
Calliphoridae....643
Callistopsyllus deuterus....54
Callitroga....567
Callopsylla waterstoni....529
Caloglyphus berlesei....365
Calonyx....478
Camponotus....542
  flavomarginata....541
Cancraedes....725
Canthydrus notula....541
Carchesium....540
Carios....66–69
Catallagia....54
  mathesoni....54
  sculleni....54
cattle grub....629, 643, 647–50
  cattle tick....658
Cediopsylla....676
  inaequalis....182, 187
  simplex....180, 184–85, 187
Cellia....173–77, 516, 594, 723–24
  kochi....723
Centetipsylla madagascariensis...675
Ceratixodes....304, 309, 405
Ceratophyllidae...107, **110,** 162, 180, 682
Ceratophyllus gallinae....109
  spadix....525
Ceratopogonidae..151, 157, 221, 294, 545
Ceriagrion....541
Chaetodactylidae....365
Chaetodactylus osmiae....365
Chaetopsylla lotoris....180, 184–85
Cheiletiella....315
Cheletiella....315
cherry fruit fly....388
chewing louse, host associations...331
  host transfer....169
  phoretic on horn fly....628
Cheyletia flabellifera....365
Cheyletidae....365, 710
Cheyletiella....315, 395
  parasitivorax....404
Cheyletiellidae....315
Cheyletiellinae....315
cheyletiellosis....323–24
Cheyletoidea....365
Cheyletomorpha lepidoptorum...365
cheyletosis....323
Cheyletus....365
  blakei....316–17, 319
  eruditus....366
  furmani....316
  parasitivorax....315–17, 319
  strandtmanni....316
  trouessarti....366
  yasguri....316–17, 319–20
chicken mite....390
chigger...346, **393,** 493–96, 681–82, 735
Chilomonas....158–59
Chirodiscoides caviae....365
Chiroptonyssus robustipes....403
Chloropidae....475, 497
cholera, hog....232–33
Chorioptes....395–96, 642–43
  bovis....395, 398, 629, 643
Chortoglyphidae....365, 710
Chortoglyphus arcuatus....366
Chrysops....115, 132, 135, 226, 232, 245–46, 254, 258–62, 341
  aestuans....244–45
  ater....134
  atlanticus....115, 259
  caecutiens....239, 244
  callidus....249–50
centurionis....260–61
cincticornis....234
dimidiata....258, 260–61
dimidiatus....227
discalis....116, 242–45
dispar....242, 254
distinctipennis....258–60
divaricatus....236
excitans....134, 343
fasciata....227
fasciatus....227
flavidus....115
flavipes....244
flaviventris....240, 254
frigidus....133, 343
fulvaster....244–45
furcatus....132, 342
langi....260–61
longicornis....258–59
mitis....133
montana....231
montanus....227
noctifer....243–44
quadratus....246
relictus....131, 135, 236, 244
sequax....235
silacea....131, 135, 258–61, 341
silaceus....227
striata....231
striatus....227
viduatus....227
vittata....231
vittatus....123–24, 131, 135, 227
zahrai....260
Chrysozona....241, 246
italica....246
pluvialis....236, 239, 244, 246–47
turkestanica....243
Cimex hemipterus....242
lectularius....126–27
rotundatus....242
Clerada apicicornis....299
Cloen....541
Clostridium....268
chauvoei....241, 248
septicum....241
Cnephia invenusta....337
ornithophila....337
taeniatifrons....337
Cochliomyia hominivorax...572, 579, 643
macellaria....644
cockroach...125, 128, 625–26, 696, 732–33
control with insecticides....625
German....350
codling moth....388
Coelomomyces....49, 540, 544
indicus....21, 540
opifexi....49, 540
psorophorae....49
Coleoptera...56, 214, 346, 460, 482, 541–42
Collembola....56
Colpidium....158–59
Colpocephalum angulaticeps....516
Colpoda....160
conjunctivitis....599, 601

Conorhinopsylla stanfordi...180, 185, 354, 673
copepod....49, 540
Coquillettidia....446, 724
nigrosignata....724
perturbans....447, 449
Cordylobia anthropophaga....61
Corrodopsylla....675
curvata....354
curvata....180, 183–86
Corypsylla....675
Cosmiomma....380
Cosmochthoniidae....365
Cosmochthonius simplex....365
Coxiella burnetii....239
crab, fiddler....545
horseshoe....683
crane fly....278–79
Cricotopus....479
Crocothemis erythraea....541
Crustacea....696
Cryptolestes ferrugineus....460
Cryptostigmata....365
Ctenocephalides canis....180, 184, 187–88
felis....401, 671
felis..180, 184–85, 187–88, 395
Ctenophthalmus....675
golovi....677
pseudagyrtes....352, 354
pseudagyrtes...180, 183–86, 188
Culex....147, 174–75, 177, 299, 301, 385, 446, 471, 516, 532, 574, 594, 719–20, 726
alis....720, 726
annulirostris....451–52, 516, 720, 726
annulus....593, 612, 721
antennatus..177, 204, 206–07, 538
bitaeniorhynchus....516, 612, 726
brevipalpis....725
decens....206
erythrothorax....459
fatigans....452, 516, 726
fragilis....720
fuscanus....725
fuscocephala....726
gelidus....593, 613, 726
halifaxi....725
halifaxii....725
malayi....725
mimulus....726
minor....725
minutissimus....725
molestus....593
nigripalpis....457
nigropunctatus....726
obturbans....725
pallidothorax....726
perfuscus....174
pipiens....122–23, 147, 177, 196, 206, 276, 282, 285, 347, 386, 457, 593, 607
fatigans..203, 453, 591–93, 726
molestus....313, 396
pallens....591–93
pipiens....112, 114, 707
quinquefasciatus....112, 148, 304–05, 312–13, 531, 533–34, 593
poicilipes...175, 177, 204–07, 538
portesi....507
pseudovishnui....591–92, 721, 726
quadripalpis....726
quinquefasciatus....485
reidi....720
restuans....447, 707, 743
rubinotus....177
rubithoracis....720
scanloni....720
sinensis....726
sitiens....726
spathifurca....726
taeniopus....507
tarsalis....112, 114, 381, 384, 540
territans....743
thalassius....507–12
tritaeniorhynchus....147, 275, 531, 533–34, 593, 614, 726
siamensis....726
summorosus....591–93, 720, 722, 726
univittatus....206, 540
neavei....175, 177
variatus....720
vishnui....593, 726
whitmorei....720, 722, 726
zombaensis....177
Culicidae....112, 197, 211, 239, 285, 294, 347, 445, 451, 453, 469, 475, 517, 594, 603, 611, 699, 719, 741
Culiciomyia....726
Culicoides....157, 161, 175–76, 235, 238, 266–67, 545–49, 551–52
bermudensis....545
brevitarsis....516
furens....151–53, 545
guttipennis....157
hollensis....545
impunctatus....551
marksi....516
melleus....151
robertsi....392, 399, 401–02
varipennis sonorensis....157
Culiseta inornata....49, 124, 540
melanura....744
minnesotae....522
inornata....483
Cuterebra....64
angustifrons....61–62
buccata....411
fontinella....61
grisea....61–62
latifrons....61
Cuterebridae....61
Cybister....541
Cyclops....540
vernalis....49
Cypris....540
Damalinia ovis....417
Daphnia....540
Dasybasis....262–63
acutipalpis....261–62
circumdata....261–62
dubiosa dubiosa....262
hebes....261–63, 267
innotata....228
neobasalis....262
oculata....262
Dasyrhamphis tomentosus....227
deer fly....115, 131, 225, 341, 399
chemical repellents....115
digestion....131
properties of trypsins....341
transmission of animal disease agents....325
Demeillonia....676
Demodex....396, 407, 639, 642
bovis....404, 418, 639
canis....321, 404, 639
caprae....404
folliculorum....365, 404, 639
phylloides....642
Demodicidae....365
demodicosis....643
Dermacentor....380, 412, 505, 628
albipictus....390, 410
andersoni....219, 379–80, 390, 398–400, 406, 410, 501, 627, 713
hunteri....98
occidentalis....501
variabilis....398–99, 405–06, 410, 501
Dermanyssus gallinae...390, 395, 403
Dermaptera....676
dermatitis....745
papular....745
Dermatophagoides....365, 395, 709
farinae....223, 327, 361, 366, 368–70, 396, 709
microceras....368, 370
pteronyssinus....224, 327, 361, 366, 368–70, 709
Dermatophilus congolensis....411
Desvoidya obturbans....725
Diachlorus ferrugatus....117
Diamanus montanus....54, 182
diarrhea, bovine viral....296
Dichelacera januarii....299, 302
Dinopsyllus titan....675
Dinothrombium tinctorium....346
Diptera....56, 61, 112, 121–23, 126, 131, 151, 157, 197, 211, 221, 225, 285, 294–95, 299, 337, 341, 346–47, 374–75, 429, 445, 451, 453, 469, 472, 482, 497, 514, 516–17, 540–45, 571, 574, 586, 594–95, 603, 611, 617, 621, 628, 643, 647, 651, 653, 676, 699, 719, 732, 741
Dirofilaria immitis....449, 534
repens....267
roemeri....261–63, 266–67
disease, Chagas'....472, 727, 749
foot and mouth....650
Newcastle....617–20
tsutsugamushi....346
Weil's....248
dog heartworm....112, 705
Drosophila....150, 608, 705–06
melanogaster....94, 350
subobscura....608
Duttonella....256
Echidnophaga....391

gallinacea 184
Echinacarinae 737
Echinolaelaps 588
ectoparasite, interaction with host 389
Edentalges 299
EIA 567
Elaeophora schneideri..251–267, 375, 377
elaeophorosis 264–65
el debab 254
Empididae 475
encephalitis 234, 592–93
California 112, 234, 699, 741
Eastern 744
Eastern equine 704, 744
equine 112, 234
Japanese 591, 614, 722
La Crosse 705
Murray Valley 451
Western equine 235
Endotrypanum 300–03
schaudinni 299
Enterococcus 268
Ephemeroptera 541
Epitedia wenmanni...351–52, 354–55
wenmanni wenmanni..180, 183–84
Eratyrus cuspidatus 748
Eretmapodites chrysogaster 174
Erysipelas 247–48
Erysipelothrix rhusiopathiae..247–48
Erythraeidae 365
Erythraeoidea 365
Escherichia coli 601–02
Etorleptiomyia 724
Euglena 158
Eumelanomyia 725
Euroglyphus 365–66
maynei...361, 366, 368–70, 709–10
European house dust mite 709
Euthyas 476, 478
Ewingella americana 316
eye gnat 238, 497, 599
attractancy 497
vector of conjunctivitis 599
eye worm 258
Fannia 617
benjamini 267
canicularis 617
femoralis 617, 620
fever, boutonneuse 47
Colorado tick 501–02
Crimean hemorrhagic 310
deer fly 242
East Coast 47, 637
equine biliary 47
ictero-hemorrhagic 248
Q 239, 501
Rocky Mountain spotted 501
swamp 567
Texas 630
yellow 173, 485
Ficalbia 206, 451, 720
chamberlaini 724
hybridi 724
luzonensis 724
minima 724
uniformis 174
filaria 258, 531, 611–12
Filaria diurna 258
filariasis....534, 594, 612, 719, 722
Filarioidea 531
Finlaya 516, 725
flatworm 696–97
flavivirus, see virus
flea....40, 52, 56, 60, 107, 126, 128, 162, 179, 217, 320–21, 351, 390–91, 394–96, 401–02, 407, 419, 473–74, 627, 658
convergent evolution 658
description of ♀ 473
description of 3rd-instar larva..107
ecology 677–83
host associations 179, 351
morphology 179
new genus 162, 658
new species 523, 658
new synonymy 525
rat 123–24
seasonal occurrence 179
sticktight 391
taxonomy 658
zoogeography 658
flesh fly, chemosterilant effect on gonads 571
fly....127, 131–35, 151, 192, 221, 225, 230–68, 300–02, 337–41, 375, 377, 388, 392–93, 401, 417–18, 430–39, 475, 497, 514–15, 543–45, 565, 567–70, 572–73, 580, 595–98, 608, 617, 620–21, 628, 644
bat 374, 586
new record 374
black....123, 135, 231, 337, 402, 416, 418, 516, 621, 623
emergence patterns 514
feeding 337
physiological age 621
rearing 337
transmission of Leucocytozoon 337
blow 127–28, 643–44
bot 61
resistance in rodents 61
cherry fruit 388
crane 478–79
deer....115, 131, 225, 341, 399
chemical repellents 115
digestion 131
properties of trypsins 341
transmission of animal disease agents 325
flesh, chemosterilant effect on gonads 571
gad 240, 252, 254
heel 648–49
horn....238, 393, 413, 417, 567, 569, 571, 582, 628, 651–53
phoresy by louse 628
radioisotope feeding studies..567
horse....131, 225, 341, 375
digestion 131
hematophagous activities....375
properties of trypsins 341
transmission of animal disease agents 325
house 230, 388, 620
little house, transmission of virus 617
louse 516, 586
Mediterranean fruit 388
sand....299, 429–31, 433, 435–36, 438–39, 574
egg surface structure 574
hosts of Endotrypanum schaudinni 299
laboratory colony 429
screwworm 571, 579, 644–47, 652
stable....95, 230, 238, 246–47, 249, 388, 567, 570–71, 653
distribution in Florida 95
radioisotope feeding studies..567
tumbu 61
warble 647, 649
yellow 117
Francisella tularensis....242–46, 248
Frontopsylla 523, 525, 527
aspiniformis 523
cornuta 529–30
diquingensis 527
hollandi 523
laeta 529–30
setigera 529–30
spadix 525, 527, 529
eansa 525, 527
gurhka 529
fungicide, see pesticide
fungus....159–60, 220, 364, 431, 434–35, 438–39, 540
gad fly 240, 252, 254
Gastromermis 20
Geomydoecus 331
expansus 333–35
martini 333–34
subnubili 332–35
tamaulipensis 332–35
texanus 331, 335
ustulati 332–35
clarkii 332–33, 335
ustulati 332–33
Geoskusea 725
German cockroach 350
Glossina....122–23, 127–28, 255–57, 388, 401, 595–97
austeni 123–28, 597
brevipalpis 128
morsitans....122, 124, 126–28, 135, 256–57, 259, 570, 595, 598
morsitans 595
pallidipes 128, 595, 598
palpalis 258–59
swynnertoni 598
Glossinidae 122–23
Glycyphagidae 365, 710
Glycyphagus 365, 395
destructor 366
domesticus 224, 366
privatus 366
gnat 546–47, 599–602
eye 238, 497, 599
attractancy 497
vector of conjunctivitis 599

Gohieria fusca....366
Gonderia tarandi rangiferis....250
Gonicotes gallinae....418
Gonixodes....47
Griseosilvius....265
grub, cattle....629, 643, 647–50
Gulf Coast tick....579, 645–46, 701
Guntherana....682
Gyrocampa ulignosa....476
Haemagogus lucifer....299
Haemaphysalis....380
bispinosa....396, 399
leachi....41–42, 44–45
leporispalustris....47, 390, 399
parmata....42, 46
irritans....238, 567, 582, 628
Haematobia irritans....651
Haematomyzus elephantis....395
Haematopinus eurysternus....390–92, 394, 401, 407, 409, 411, 415, 417, 419
Haematopota....226, 249–50, 254, 256, 259
albihirta....249
americana....134, 341, 344
brunnescens....227
brunniscens....259
cingulata....227
cordigera....258
coronata....254
decora....237, 259
guineensis....227
irrorata....227
italica....227
montana....241
pallens....247–48
perturbans....256
pluvialis....131, 134–35, 235, 250
pungens....227
splendens....227
subcylindrica....131, 135
truncata....227
turkestanica....227
variegata....267
vittata....259
Haemolaelaps casalis....365
vietnamensis....590
Haemophilus aegyptius....599–602
Haemoproteidae....250
Haemoproteus metchnikovi....249–50, 257
Halarachnidae....403
Hannemania....404
Harpagomyia genurostris....724
heartworm, dog....112, 705
HECC....116
heel fly....648–49
Heizmannia....720, 724
achaetae....724
helminth....192, 257–58, 453
Helochares....542
dilutus....542
pallens....542
Hemicalcealges....738
Hemiptera....122, 346, 541–43, 676, 727, 748
Hemistigma albipuncta....541
Heptatoma pellucens....246–48
Heterodoxus spiniger....169
Hippelates....238, 267, 497
collusor....497
pusio....599
Hippobosca....586
Hippoboscidae....516, 586
Hippocentrum strigipenne....227
trimaculatum....258
Hodgesia....720
quasisanguinae....724
spoliata....720, 724
Hoplopsyllus anomalis....182, 355
glacialis affinis....182
horn fly....238, 393, 413, 417, 567, 569, 571, 582, 628, 651–53
phoresy by louse....628
radioisotope feeding studies....567
horse fly....131, 225, 341
digestion....131
hematophagous activities....375
properties of trypsins....341
transmission of animal disease agents....325
horse sickness, African....235
house dust mite....223, 327, 361, 396
house fly....230, 388, 620
human louse....127
Hyalomma....41–42, 44, 46, 308, 380
anatolicum excavatum....398
truncatum....419
Hybomitra....132, 226, 264–65, 341, 343
acuminata....131, 135
affinis....132–35, 228, 341–45
arpadi....132–33, 135, 343–44
bimaculata....228
ciureai....228
epistates....133, 228
erberi....228
frontalis....133–34, 229, 343–44
fulvicornis....247
illota....133, 343
lasiophthalma....132, 134, 234, 343–44
laticornis....251, 265–67, 375
lurida....133
montana....228
morgani....229
nigricans....229
nuda....133, 343
peculiaris....247–48
pediontis....133, 342
phaenops....264–65
procyon....265
rhombica osburni....134
rupestris....229
solstitialis....247
sonomensis....245, 264
phaenops....264
tetrica rubrilata....264, 375
trepida....229
trispila....229
tropica....134–35, 247
turkestana....229
typhus....132–33, 342–43, 345
zonalis....132
Hydaticus....541
leander....541
Hydrachnellae....475
Hydrometra aegyptica....541
Hydrotaea....267
Hydryphantes ruber....477
Hydryphantidae....475
Hymenoptera....144, 346, 516
Hyphydrus impressus....541
Hypoaspis....56
Hypochthonoidea....365
Hypoderma....61, 63, 398, 411, 647, 650
bovis....647–48, 650, 658
capreola....647
diana....647
lineatum....647–48, 658
Hystrichopsyllidae....180, 473
Icosta....586
Influenza$_A$, Para....296
insect....478–79, 543–44, 568, 681, 695–96, 704, 728–29, 745, 748–49
Insecta....625, 686
insecticide, see pesticide
Iphis....589
Ischnocolinae....745–46
Ischnura senegalensis....541
itch mite....639
itch, Norwegian....642
7-year....642
Ixodes....42, 308, 380, 404
auritulus....506
cavipalpus....42, 46
holocyclus....399, 406
lewisi....42, 46
pacificus....501, 506
persulcatus....307
putus....304, 309
ricinus....99, 307, 405, 415
uriae....304, 309, 312–14, 405, 506
Ixodidae....26, 40, 98, 137, 216, 219, 294, 304, 312, 380, 407, 501, 506, 516, 628, 632, 685, 701, 713
Ixodoidea....65, 219, 441, 609
Jordanopsylla....676
ked, sheep....192, 390, 392–93, 395, 397, 400–01, 406, 408–10, 417–19
Kerteszia....4
Kinetoplastida....299
Klebsiella....268
Kleemania plumigera....366
Knemidokoptidae....395
Labidophoridae....365
Laccophilus....542
adspersus....542
simplicistriatus....542
Laccotrephes....541–43
ater....543
brachialis....542
Laelapidae....365
Laelaps....589
aingworthae....588
echidninus....588
hermaphrodita....589
mercedeae....588
nr. mercedeae....588
nuttalli....589
sanguisugus....589

sculpturatus 588
thamnomys 589
nr. thamnomys 589
turkestanicus 589
Lathridiidae 56
leafhopper 106
Leicesteria 725
Leishmania 303, 429, 439
braziliensis 300–03
mexicana 439
amazonensis 439
leishmaniasis 429, 438
Lentistivalius 681–82
ferinus 675
Lepidoptera 56, 346, 516
Leptopsylla segnis 108–09
Leptopsyllidae 162, 523
Leptospira 248
grippotyphosa 248
icterohaemorrhagiae 248
interrogans 248
leptospirosis 248, 296
Leptotrombidium 346, 682, 735
akamushi 493
arenicola 493
deliense 493
fletcheri 493, 495–96
intermedium 735
Leucocytozoon 250
simondi 377
Limnogonus severini 541
Limulus 695
Linognathus vituli 417
Lipeurus caponis 418
Lipoptena 586
Lispe 541
leucospila 542–43
nuba 542–43
tuberculitarsis 541
Listeria monocytogenes 246–48, 267–68
listeriosis 247, 268
Listrophoridae 365
Listrophoroidea 365
Listrophorus gibbus 321
little house fly, transmission of virus 617
Loa 260
loa 251, 258–62, 267, 269
loiasis 259–61
lone star tick 216, 685, 701
Lophoceraomyia 720, 725–26
Lorrainea 725
louse 169–71, 179, 320, 331, 390–91, 393–97, 400–01, 406–11, 413, 415, 417–19, 516, 628, 643, 648, 676
louse, chewing, host associations .331
host transfer 169
phoretic on horn fly 628
louse, human 127
louse fly 516, 586
Loxodes 160
Loxosceles reclusa 143, 405
Lucilia 567
cuprina 570
Lutzia 725
fuscana 725
Lutzomyia 300, 302, 574
antunsie 575
carrerai 575
complexus 575
davisi 575
flaviscutellata 575
gomezi 300–02, 429, 439, 574–75, 578
intermedia group 575
lainsoni 575
longipalpis 429
monticola 575
noguchii 301
panamensis 302, 574–75, 578
paraensis 575
pessoana 302, 574–75, 578
renei 429
sanguinaria 300–02, 429, 439, 574–75, 578
serrana 302
shannoni 302
trapidoi 300–02, 575, 578
trinidadensis 301
vespertilionis 301
vexator occidentis 301
wellcomei 575
ylephiletor 302, 574–75, 578
yuilli 575
Lycosa 541, 696
Lynchia 586
Lyperosia exigua 266
Macleaya 516
Macronyssidae 222
Macroscelidopsylla 676
Malaraeus 54, 162
bitterrootensis 54, 162
dobbsi 162
eremicus 162
euphorbi group 162
ioffi 162
neotomae 165
penicilliger group 162
penicilliger mustelae 111
sinomus 54, 162
telchinus 54
telchinus group 162
malaria 1, 214, 346, 378, 381, 556–57, 559–60, 594, 707, 719, 722, 750
bird 112
control 1
eradication 1
Malaya 720
genurostris 724
Maliarpha separatella 212, 539
Mallophaga 169, 331, 396, 628
mange 390, 395, 400, 639, 642
demodectic 643
sarcoptic 629, 641–42
mange mite 639
Mansonia 244, 256, 451, 719–20, 722
africana 173, 175, 177, 203–04, 206–07
annulata 722, 724
annulifera 724
aurites 507, 511
bonneae 724
crassipes 724
dives 722, 724
fuscopennata 507, 511
indiana 724
longipalpis 724
memorans 720, 724
microannulata 206
nigrosignata 724
uniformis 173, 175, 177, 203–04, 206–07, 531, 533, 722, 724
Mansonioides 173, 175, 177, 724
mard-el-debab 252–55
Margaropus *australis* 266
Mattinglyia 724
mayfly 482
mbori 254
mealworm 66
Mediterranean fruit fly 388
Medwayella 682
Megabothris 162
acerbus 180–81, 183–85, 188
asio 180, 183–84, 354
asio 183
megacolpus 180, 183, 185–86
walkeri 111
Megarhinus aurifluus 724
inornatus albitarsis 724
splendens subulifer 724
Megarthroglossus 54
Megatrypanum 250–52
Melichares dendriticus 365
tarsalis 365
Melophagus 412
ovinus 192, 390, 392–93, 395, 398, 400–02, 406–07, 411, 417–18
Menacanthus stramineus 169, 408, 418
Menopon gallinae 418
Meringis 676
Mesomyia fuliginosa 262
Mesostigmata 365, 587
Metastivalius 669, 671, 679–80
Methles cribratellus 541
Micreremeus previpes 365
Micreremidae 365
microfilaria 257–66, 531, 533–34, 612–13
Micronecta scutellaris 542
Microsporum canis 321
midge 238, 266–67, 479
midge, biting 157, 221, 452, 516
distribution in salt marsh 545
laboratory larval medium 157
seasonal changes 151
milliped 56
Mimomyia 720, 724
chamberlaini 724
hybridi 724
luzonensis 724
mite 56, 71, 121, 179, 223, 299, 315–16, 318, 320–25, 328–30, 346, 351, 357–70, 390, 394–96, 398–99, 401–03, 407–09, 417–18, 431, 475–76, 478, 484, 493–96, 587, 617, 629, 639, 641–43, 681, 695, 709
abundance in homes 709

American house dust.....223
anatomy.....315
behavior.....475
chicken.....390
dispersal.....357
distribution.....361, 587
European house dust.....709
feather.....738
from rats in chicken house.....222
host records.....587
house dust.....327, 361, 396, 709
in mite cultures.....223
itch.....639
key to Cheyletiella.....317
key to Dermatophagoides and Euroglyphus.....368
key to water mite larvae.....476
life history.....475
mange.....629, 639, 641
mortality.....327
nasal.....71
new genus.....737
new species.....735, 738
new status.....737
northern fowl.....222
on stamp.....346
parasite of cat, dog, rabbit.....315
quill.....357
red velvet.....346
scabies.....629, 639, 641, 643
systematics.....71
taxonomy.....315, 361, 475
transmission of rickettsia.....493
water.....475, 477, 482, 484
Mollusca.....695–96
Monopsyllus.....162
anisus.....107–09, 111
eumolpi eumolpi.....183
sciurorum.....108–09
thambus.....678
wagneri.....54, 107, 352, 354–55
Moraxella bovis.....600
mosquito....1, 49, 112, 122–29, 135, 147, 171, 173, 179, 193, 197, 202, 208, 211, 230–34, 238–39, 242–44, 247, 267, 276–83, 285, 299, 304, 313, 347–50, 378, 381, 388, 393–94, 396–97, 399, 402, 407, 413, 445, 451–53, 463, 469–72, 475, 485, 494, 507, 515, 531, 535–40, 542–43, 553, 574, 591, 603, 605, 607–08, 612–14, 696, 699–700, 705, 719, 730, 741–42, 744, 751
African collection results.....202
age composition.....507
arbovirus recovery.....173
autogeny.....193
blood-feeding.....445
breeding in rice fields.....211
computer simulation of populations.....553
dietary media for larvae.....285
effectiveness of control technologies.....553
effects of insecticide.....535
environmental effects of virus transmission.....275
genetic relationships.....463
genetics.....147, 347, 614
histopathology.....603
hosts for Coelomomyces parasite.....49
identification by electrophoresis.....705
isolation of virus.....699
juvenile hormone effects.....197
mathematical modelling of reproductive adaptations.....485
mating competitiveness of heterozygotes.....208
morphology of proventriculus..517
mortality.....535
multiplication of arbovirus.....451
oviposition attractants.....112
parity.....741
physiological age.....445
physiological ecology.....381
physiological effects on virus transmission.....275
population analysis.....453
predators.....535
replication of virus.....469
reproductive parameters.....485
seasonal occurrence.....741
stable trap modification.....515
survey in Indonesia.....719
susceptibility to filaria.....531
susceptibility to virus.....591
vector of filaria.....611
vertical distribution.....507
yellow fever.....388
moth, codling.....388
Mucidus.....516, 724
Muesebeckella.....660
Musca.....267. 567
domestica.....242, 570–71, 620
Muscidae.....122–23, 567, 595, 617, 628, 651, 653
myiasis.....61, 192
Myobia musculi.....403
Myzomyia rossi.....723
vaga.....724
Myzorhynchus barbirostris.....723
sinensis.....723
Myzus persicae.....124
myxamatosis.....512
Nannomonas.....255–57
nasal mite.....71
Naucoris obscuratus kenyali.....541
nematode...20, 261–62, 266–67, 540, 544, 548, 617, 651
Neocalcealges.....738
Neoculex.....177
Neomelaniconion...174–75, 177, 206, 725
Neomyzomyia leucosphyra.....723
Neoschoengastia gallinarum.....735
Neotrombicula megensi.....718
microti.....718
tamiayi.....718
northern fowl mite.....222
Nosema.....540
algerae.....21
stegomyiae.....21
Nosopsyllus fasciatus.....184
iranus attenuatus.....107–09
iranus.....108–09
Notiphila ignobilis.....541
Notoedres cati.....321, 325
Nycteribia.....586
pendicularia.....586
Nycteribiidae.....586
Nycteribosca.....586
Nyssorhynchus maculatus.....723
Obtusifrontia.....679
Ochlerotatus.....516, 724
Ochthera chalybescens.....542–43
Octopus.....696–97
Odonata.....541
Oestridae.....647
Olfersia.....586
spinifera.....516
oligochaete.....482, 679
Onchocerca.....266–67
gibsoni.....261, 266–67
volvulis.....226
onchocerciasis.....266, 750
Onchocercidae.....531
Ophionyssus natricis.....390
Opifex fuscus.....49
Opisocrostis.....190
bruneri.....180, 183–85, 187–88
labis.....188
tuberculatus tuberculatus.....188
Opisodasys keeni.....54
opofu.....258
orbivirus, see virus
Orchopeas caedens.....188, 190
howardii.....354
howardii.....180–85, 188, 190
leucopus....180–81, 183–85, 188, 190, 351–52, 354–55
sexdentatus.....53–54, 182, 188
wickhami.....190
Orfrontia.....523, 529
Oribatei.....710
Orneacus.....529
Ornithodoros...66, 124–26, 298, 307, 451
coriaceus.....292, 627
moubata.....123–24, 379
papillipes.....609
savignyi.....379, 627
tholozani.....123–25
Ornithomyia.....586
Ornithonyssus bacoti.....390, 395
sylviarum...222, 390, 398, 418, 617
Oropsylla.....190
arctomys....180, 183–84, 187, 190
rupestris.....190
Orthopodomyia.....720
andamanensis.....724
Orthopsylloides.....680
Orthoptera.....346
Oryctolagus cuniculus.....315
Ostertagia.....412
ostracod.....482
Otodectes cynotis.....321, 365, 398, 403
Oxyalginae.....737
Palaeopsylla.....675, 683
Panisopsis.....476
Panisus.....475

Panstrongylus geniculatus...299, 748
herreri....748
humeralis....748
lignarius....748
megistus....299
rufotuberculatus....748–49
Pantala flavescens....541
Papuapsylla....679–80
parablackleg....241
Paralimma setifemur....541
paralysis, tick....501–02, 630, 713
Paramecium....158–59
Parapulex....675
Parasitiformes....365
Parasitoidea....365
Parathelohania....540
africanus....540
Pardosa....541
Pariodontis....675
Pasteurella....51–52, 60
bollingeri....241
multocida....241, 248
septica....241
Pectinopygus gracilicornis....516
Pediculoides ventricosus....361
Pediculus....400
humanus....126–27, 397, 399
capitis....394
humanus....390, 394
Pelastoneurus....541
Peranema....159
Periplaneta americana....125, 625
australasiae....626
brunnea....626
Peromyscopsylla hesperomys....54
scotti....352, 354
selenis....54
Persicargas....66–68, 609
pesticide....1, 223, 325, 327–28, 544, 585, 637–38, 642–43, 649–53, 713, 717, 751
Abate....20
arsenic....633–34, 648
benezene hexachloride....634, 643
benzol....644
bioresmethrin....625
BPRL-5344-16^5....585
carbaryl....18–19, 638
chlorfenvinphos....581–84
chlorphoxim....19
chlorpyrifos....20, 582, 584, 634
cismethrin....625
coumaphos....417, 582–84, 634, 638, 643, 647–48
creosote....643
cresol....633, 643
crotoxyphos....581, 583
crufomate....581, 649–50
cubé....648
DDT....1–8, 10–11, 13–14, 16–22, 414, 417, 472, 580, 633–34, 637–38, 651
deet....115
derris....648–49
diazinon....18–19, 634, 637, 643
dichlorvos....18–19, 582, 585–86, 642
dieldrin....5–6, 8, 10–11, 17, 19–20, 637–38
diethylcarbamazine....719
Dimecron....212–13, 539
dimethoate....642
dioxathion....583, 634, 638
Dursban....20
fenitrothion....14, 19
fenthion....18–20, 565, 650
gamma benzene hexachloride..633
Gamma-HCH....3, 5–6, 18–19
glycerin....633
Hercules AC-5727....19
Imidan....583
iodofenphos....19
Landrin....19
lime-sulphur....633, 640, 643
lindane....5–6, 414, 581, 585, 638, 643
M-2020....116
malathion....11, 17–20, 581
methoprene....652–53
methyl parathion....18
nicotine....633, 640, 643
parathion....634
Paris green....1
phosmet....583, 643
propoxur....11, 13–14, 17–19, 582–83, 585–86
pyrethrum....1, 625
ronnel....581, 583–84, 643, 648–49
rotenone....648–50
sodium sulphite....633
stirofos....581–83, 585
temephos....20
Thiourea....571
toxaphene....583, 634, 643
trichlorfon....650
Phalacropsylla allos....54
Philodina....159–60
Phlebotominae....574
Phlebotomus....267
argentipes....429, 436, 438–39
ariasi....429, 438
longipes....429, 438
papatasi....429, 436, 438–39
perfiliewi....429, 438
perniciosus....429, 438
Phoniomyia pilicauda....299
Phormia....128
regina....121
Phthiraptera....516
Piona....479, 482
Pirata....541
Piroplasma tarandi rangiferis....250
piroplasmosis....250
plague....192
ecological effects on rodent activity....51
enzootic....51
sylvatic....51
planarian....482, 696
Plasmodium....2, 13, 250
falciparum....2, 6, 13, 19, 21
relictum....21
vivax....2
Platyhelminthes....695–96
Platypsyllidae....676
Plumatyla humerosa....56
Polyplax serrata....390, 395, 400–01, 406, 408–09
Proctophyllodidae....737
Proctophyllodinae....737
Prostigmata....365, 639
Proteus....268
Protomacleaya....705
Protozoa....21, 157–60, 192, 248, 267, 630
protozoan....453
Pseudalges....738
Pseudoagrion....541
Pseudolynchia....586
Pseudoskusea....516
Psorergates....396, 629, 643
bos....643
circopetheci....396
oettlei....396
ovis....396, 398, 643
simplex....396
Psorophora....446
ciliata....385, 449
cingulata....299
columbiae....231
confinnis....385
cyanescens....385
ferox....447, 449, 743
Psoroptes....398, 642
cuniculi....396, 398, 640–41
ovis....639, 641
Psoroptidae....365, 393, 639
Psoroptidea....365
Psychodidae....299, 429, 574
Psychodopygus lainsoni....429
Pterodectinae....737
Pthirus pubis....394
Ptilonyssus....71, 80, 93–94
agelaii....71–72, 75, 78–79, 82, 85–86, 90–92
cinnyricincli....92
constrictus....71–72, 75, 79, 82, 85, 90–92
constrictus....71
longisetosus....71, 85, 90, 92
cractici....92–93
estrildicola....92, 94
fringillicola....92, 94
garridoi....71–72, 75, 78–79, 82, 85, 91–92
gliciphilae....94
hoseini....93
icteridus....93
japuibensis....71–72, 75, 78–80, 82, 86, 89–93
cyanocompsae....71, 90–92
langei....74, 93
lanii....92, 94
lobatus....92
ludovicianus....71–72, 75, 78–79, 82, 85, 91–92
morofskyii....93
motacillae....92–94
pirangae....93
richmondenae....92, 94
sairae....71–72, 75, 78–79, 82, 86, 90–94
teretistris....71–72, 75, 78–79, 82, 85, 91–92

terpsiphonei 94
tillae 92
vireonis 93
Ptychopteridae 475
Pulex irritans 180, 184
Pulicidae 180
Pupipara 122–23, 586
Pyemotes anobii 365
ventricosus 395
Pyemotidae 365
Pygiopsylla 679
hoplia 217
spinata 679
tiptoni 678
Pygiopsyllidae 671, 677, 682
Pyodermas 599
Pyroglyphidae 223, 370, 709
quill mite 357
Radfordiella 403
Ranatra bottegoi 541
rat flea 123–24
Rectidigitus 679–80
red-legged tick 637–38
Reduviidae 727, 748
red velvet mite 346
Reesimermis 20
nielseni 20–21
Regimbartia nilotica 541
Rhadinopsylla 473, 475
difficilis 473
fraterna 473–75
media 473
orama 473
Rhagionidae 294–95
Rhamphocaulinae 737
rhinitis 361
atopic 709
Rhinonyssinae 71, 93–94
Rhinoskusea 725
rhinotracheitis, infectious bovine 296
Rhipicephalus 41–42, 308, 380, 404, 704
appendiculatus 42, 44, 46, 48, 390–91
armatus 41–42, 46
evertsi 42, 45, 637–38
evertsi 41–45
kochi 42, 46
pravus 41–46
pulchellus 41–42, 44–46
reichenowi 42, 46
sanguineus 26, 41–42, 379–80, 396, 398, 404–05, 701
Rhodnius 124–27
pallescens 748–49
prolixus 123, 125, 127, 135, 299, 397, 472, 727
rice stem borer 212, 539
rickettsia 239, 298, 493–96, 501, 505, 630
Rickettsia tsutsugamushi 493
rickettsiosis, chigger-borne 346
ovine 47
rotifer 159–60
sand fly 299, 429–31, 433, 435–36, 438–39, 574
egg surface structure 574
hosts of Endotrypanum schaudinni 299
laboratory colony 429
Sarcophaga 573
ruficornis 571
Sarcophagidae 571
Sarcoptes 407, 642
scabiei ..94, 392, 395, 398, 403, 417
bovis 642
canis 325, 642
equi 642
hominis 642
suis 642
Sarcoptidae 395, 639
scab, sheep 639–41, 643
scabies 392, 402, 407, 629, 639–42
human 639, 642
psoroptic 629, 639–41, 653
scabies mite 639, 641
Sciara 150
schistosomiasis 750
screwworm 416, 580, 629, 643–47, 651, 653–54, 658
fly 571, 579, 644–47, 652
Scutacaridae 365
Scutacarus 365
Scytodidae 143
Secretargas 66–69
Selenocosmia 746
septicemia, hemorrhagic 241
Sergentomyia bedfordi 429, 438
Setaria equina 267
sheep ked 192, 390, 392–93, 395, 397, 400–01, 406, 408–10, 417–19
Sigara 541
hedenborgi 541
pectoralis 541
Sigmactenus 682
cavifrons 671, 679
toxopeusi 679
silkworm 350
Silvius *pollinosa* 235
pollinosus 228
quadrivittatus 265
variegatus 227
Simuliidae 294, 337, 514, 621
Simulium 226, 541
arcticum 624
argus 402
decorum 624
innocens 337–40
johannseni 621
malyschevi 621
meridionale 621
ornatipes 514
rugglesi 337–40
tuberosum 621
venustum 123–24, 126, 402, 621
vittatum 402, 624
Siphonaptera 107, 162, 217, 351, 473, 523, 658
Siteroptes graminum 365
snail 535, 679, 696–97
Solpugida 346
Spercheus 541
Sphaerodema grassei 541
spider 143–44, 405, 540, 542–43, 745–47
brown recluse 144–45
electrophoresis of venom 143
induced dermatitis 745
spirochaete 298, 630
spirochetosis 47
stable fly 95, 230, 238, 246–47, 249, 388, 567, 570–71, 653
distribution in Florida 95
radioisotope feeding studies 567
Staphylococcus 268, 599, 601–02
Steatacarus 738
bifiditibia 737–38
Stegomyia 193, 463, 531, 533, 725
fasciata 725
scutellaris 725
Stephanofilaria stilesi 651
Sternolophus 542
angolensis 542
solieri 541
sticktight flea 391
Stivalius 680–81
jacobsoni 677
stomatitis, vesicular 231–32
Stomoxys 192, 244, 255–57, 570
calcitrans 95, 122, 230–31, 238, 240, 242, 244, 246–47, 253, 258–59, 266, 567, 653
nigra 258–59
stonefly 106
Streblidae 374, 586
streptococcus 599
Streptococcus pyogenes 599
Striopsylla 679–80
Stylidia 586
Suaymyia 724
sucking louse 390
Suidasia medanensis 365
surra 252–54
Symphoromyia 264
Synthesiomyia nudiseta 460
Syringophilidae 357
Syringophiloidus minor 357
Sziladynus 246
montanus 246
solstitialis 246
tropicus 246
Tabana atratus 251
Tabanidae 116, 123, 131, 225, 294, 341, 375
Tabanocella denticornis 249
Tabanus 135, 226, 233, 235, 240, 250, 252, 254–57, 264–65
abactor 236
abditus 265
aequalis 236
affinis 230–31
agrestis 244
albimedius 131, 253–54
albimidus 254
albitriangularis 254
americanus 236
aprepes 266
atratus 235, 253
australicus 262, 266
autumnalis ..131, 135, 239, 243–44
bicinctus 241
biguttatus 237, 254

bilateralis 254
bovinus....239, 246
bromius....236, 239, 243–44, 247–48
brunipes 254
brunnipes 228
ceylonicus 254
circumdatus....236, 261, 266
conformis 229
costalis 253
ditaeniatus 254
dorsobimaculatus....229
dubiosus 266
epistates 231
equalis....236
erberi 243
erythraeus....236
eurycerus 265
fasciatus 258
flavicornis 234
flavivittatus 228
flavoguttatus 243–44
fraternus 237
fulvicornis 234
fumifer 254
fumipennis 236
fuscicostatus....231, 235, 237
fuscomarginatus 255
germanicus 266
gilanus 264–65
glaucopis....246, 250
gracilis 235
gratus 237
griseipalpis 254
hilaris 254
immanis 254
importunus 254
indianus 241
innotatus....261, 266
iyoensis 396
karybenthinus 243
kesseli 265
lasiophthalmus 230–31
latifacies 254
leucostomus 254
lineola....233, 236, 253
scutellaris 231
macer 254
maculicornis 247
malayensis 254
marginalis 264
mastersi 266
minimus 254
monoensis 265
montanus....236
mordex 254
nemocallosus 254
nemoralis 229
nigritarsis 266
nigrovittatus....131, 135, 234, 237, 240
oklahomensis 236
optatus 229
orientis 233
par....254, 258
partitus 254
parvicallosus....262
peculiaris 243
phaenops....234, 376
pluto 234
productus 245
pulchellus 244
punctifer....234, 245, 265
quinquevittatus....232–33, 251
reducens 254
rubidus....240–42, 250–51, 254
ruficus fuscomarginatus....228
rufiventris 254
rupestris 243–44
rusticus 239
secedens....255, 258
septentrionalis....230, 243–44
similis 228
socialis 258
solstitialis....236, 239, 243
staegeri 239
stantoni 229
strangmanii 229
striatus....240–42, 250–54
sudecticus 246
sufis 254
sulcifrons....230–31, 235–36
superjumentarius 251
taeniola....134–35, 237–38, 249, 255
tenens 228
tetropsis 229
thoracinus....255
townsvilli 262
trepidus 231–32
trispilus 231
tropicus....236, 254, 267
turkestanus 243
vagus 254
vanecki 254
venustus 235–36
virgo 254
Tachytrechus 541
Taeniorhynchus annulata....724
annulatus 724
annuliferus 724
annulipes 724
giblini 724
uniformis 724
Tamiophila grandis....180, 183–84
Tarantula 745
Tarsonemidae 365
Tarsonemoidea 365
Tarsonemoides belemnitoides....365
polonicus 366
Tarsonemus 365
granarius 365
Tenebrio molitor....66
Tetragnatha 541
Tetranychus urticae....696
Theileria 47
tarandi rangiferis....250
Thelohania 540
Theraphosidae 746
Thinophilus 541
Thrassis bacchi....355
bacchi bacchi....185
Thyas....476, 478
barbigera....475, 483
stolli 476–77, 482–83
Thyasidae 475
Thyasides 476
sphagnorum....475, 477
Thysanocercinae 737–38
Thysanocercus 737
tick....26, 40, 48, 65, 99, 123–24, 126, 128, 137, 140–41, 179, 216, 219, 238, 250, 293–96, 298, 304, 307–09, 312, 351, 379–80, 390–93, 396–401, 404–06, 408, 410, 412–19, 441, 443–44, 451, 501–06, 579–81, 583, 585, 587, 609–11, 627–28, 629–39, 646, 653, 685, 695–97, 701, 713
abundance 713
abundance on Kenyan hares....40
American dog....504
association with epizootic bovine abortion....292
behavior....99, 216
biochemistry....219
brown dog....379, 701
cattle 658
distribution....441, 501
dry-ice trap....627
ecology 216
effect of blood meal weight....609
effects of feeding on dog....26
Gulf Coast....579, 645–46, 701
histopathology of dog....26
hosts 441
insecticides for control....579
lone star....216, 685, 701
microanatomy of eye....685
new host....506
new record....98, 516
new virus....304, 309
overwintering and survival....216
pheromone 701
physiology 219
population structure....137
red-legged....637–38
Rocky Mountain wood....379
sugars in hemolymph....379
variation 441
virus infections....65
Tiflovia 658
pachnopoata 660, 664–66, 668–70, 674, 680
stellalpestris....664, 667–70, 672, 674
Tigriopus 540
nr. angulatus....49
Tipulidae....475, 478
togavirus, see virus
Topomyia 720
auriceps 724
dubitans 724
Toritrombicula 735
gygis 735
oahuensis 735
oceanica 735
shiraii 735
Toxorhynchites....720, 725
albitarsis 724
amboinensis 720, 724
immisericors 724
inornatus albitarsis....724
splendens 724

Tracheophyllum 159
Traubella 162
neotomae 165
Traubia 679
egregia 679
Triatoma brasiliensis.....299
dimidiata.....299, 748
gerstaeckeri 299
infestans.....299, 460, 727
phyllosoma pallidipennis.....299
sordida 299
Triatomidae 400
Triatominae 733
Trichodectes tibialis.....170, 172
Trichodectidae.....169, 331, 628
Tricholipeurus 170
liperuroides 170–71
parallelus 170–71
Trichomycetes 540
Tripteroides.....720, 724
caeruleocephalus 724
indicus 724
nitidiventer 724
nitidoventer 724
powelli 724
indica 724
indicus 724
Trithemis 541
Trombicula akamushi.....94, 395
autumnalis 94
irritans 399
splendens 403
Trombiculidae....346, 395, 493, 718, 735
Trouessartia 737–38
Trouessartiidae 737
Trouessartiinae.....737–38, 740
Trypanosoma.....250, 257
brucei.....253, 256
brucei 255
gambiense.....256
bufophlebotomi 301
cazalboui 256
congolense 255–56
cruzi.....252, 748
equinum 252
equiperdum.....253, 255
evansi.....252–55, 267–68
gerrhonoti.....301
hippicum 252
leonidasdeanei 301
melophagum 395
pecorum.....255–56
phyllotis 301
rhodesiense 256
scelopori 301
simiae 257
thecadactyli 301
theileri 250–52, 257
venezuelense.....252, 254
vivax 256–57
Trypanosomatidae 299
trypanosomiasis....237, 252, 255, 257
Trypanozoon.....252, 255–56
tsetse.....122–28, 249, 255–57, 388
resting sites.....595
tuberculosis 192
tularemia.....192, 242–46, 501–02
tumbu fly.....61
typhus, scrub.....346, 493, 495
tick 47
Tyroglyphidae 223
Tyrophagus palmarum.....366
putrescentiae.....223, 366
Uniscutalges 738
elegans 738
phoeniculi.....738
Uranotaenia.....206, 720, 724
atra 724
campestris.....720
Vermipsyllidae.....180
Verrallina.....451, 725
vibriosis.....296
virus....21, 36, 66, 70, 173, 175–77, 213, 230–35, 248, 276–83, 298, 304, 308–14, 441, 451–53, 469–71, 503, 516, 540, 591–93, 617, 621, 630, 699, 705, 741
Arumowot 175–77
African horse sickness.....235
Akabane 452
Alfuy 452
Almpiwar 452
Aride 516
Avalon 309
Baku.....305, 307
Bauline 304–07
Belmont 452
bovine ephemeral fever.....452
Bunyamwera group.....176–77
California encephalitis....234, 621, 699
California group.....699–700, 705
Cape Wrath.....304–07
central European encephalitis..307
Charleville 452
Chenuda 307
chikungunya 173
Clo Mor.....309
Congo 310
Corriparta 451
Crimean-Congo hemorrhagic fever 47
D'Aguilar 451
dengue.....452, 469–70
Dera Ghazi Khan serogroup...441
Eastern equine encephalitis....234, 283, 621, 704
Edge Hill.....452
encephalitis 234
equine infectious anemia...230–31, 235, 267
Eubenangee 452
Getah 451
Great Island.....304–07
Group A.....472
Group B.....306, 312
hog cholera.....232–33, 235, 267
Huacho 307
isolation from mosquito.....699
Issyk-Kul 66
Jamestown Canyon.....234
Japanaut.....452
Japanese encephalitis.....275, 591
Johnston Atoll.....451
Joinjakaka 452
Kadam 47
Kemerovo.....307
Kemerovo Group.....304, 312
Keterah 65
Keystone.....699
Kokobera 452
Koliba.....307
Koongol 451
Kowanyama.....452
Kunjin 451
La Crosse.....112, 234, 699
La Crosse encephalitis.....705
Lipovnik 307
Mapputta 452
Maprik 451–52
Mitchell River.....452
Mono Lake.....307
mouse encephalomyelitis.....304
multiplication in mosquito.....451
Murray Valley encephalitis....451
myxoma 319
Nairobi sheep disease.....47
Newcastle disease.....617
new isolation from tick....304, 309
Ngaingan 452
Nugget.....304, 306–07
Okhotskiy 305–07
Olifantsvlei 175–76
o-nyong-nyong.....173, 176, 214
Pongola.....175–77
Pretoria.....441
rabbit myxoma.....235
recovery from mosquitoes.....173
replication in mosquito.....469
rinderpest.....233, 235
Ross River.....451
Russian spring-summer.....307
St. Louis encephalitis.....282, 381
Sakhalin.....306, 310, 313–14
Sakhalin group.....304, 306, 309
Samford 452
Seletar.....308
Semliki Forest.....173, 282
Sepik 451
Sindbis.....282, 452
Six Gun City.....305, 307
Stratford 452
susceptibility of mosquito.....591
Taggert.....309–10, 313
Tataguine 175–77
Three Arch Rock.....306
transmission in mosquito.....275
Tribec 307
Trivittatus 699
Trubanaman 452
Tyuleniy 306
Upolu 451
USA 56300-38.....306
USA 56300-86.....306
Uukuniemi group.....306, 312
vesicular stomatitis.....231–32
Wad Medani.....308
Wallal 452
Warrego 451
Western equine encephilitis....234, 381
West Nile.....173
Wongal 452

Wongorr 451
Yaquina Head.....304, 306–07
yellow fever.....304
Zaliv Terpeniya.....306
Vorticella.....159, 540
warble fly.....647, 649
wasp 475
water beetle.....114
water mite.....475, 477, 482, 484
weevil, boll.....634
Wenzella.....676
obscura 673
worm.....251, 258–67
eye.....258
Wuchereria bancrofti....534, 612–13
Xenodaeria 675
Xenopsylla 682
cheopis.....123–25, 682
papuensis.....671, 682
vexabilis 682
yellow fever.....173
yellow-fever mosquito.....388
yellow fly.....117
Yersinia pestis.....51–52, 60
Zyx.....659, 669, 671, 678–79

VERTEBRATE INDEX

Aardvark 595
Acomys 675
Acridotheres tristis.....74
Agelaius icterocephalus.....74
phoeniceus.....72, 74
Alcedinidae 74
Alces alces.....264
Alcidae 306
Alticola stoliczkanus.....525
Alaudidae 74
Amphibia.....398, 541, 543
Amphispiza bilineata.....72–74
Anas platyrhynchos.....338
Anisomys 680
imitator.....679
Anser anser.....338
Anseriformes 737
Antbear 595
Antechinus wilhelmina.....679
antelope 241
Anthus australis.....74
spinoletta.....72, 74
Aplodontia 669
Apodemus flavicollis.....527
sylvaticus.....525, 527
Apodidae 737–38
Apodiformes 738
Arremon taciturnus.....73
Arvicola terrestris.....243
auk 306
Auklet, Cassin's.....506
Rhinoceros 506
Badger 316
Bandicota 588
indica 589
bat....66–70, 374–75, 403, 430, 671, 673, 756
Bat, Egyptian Lesser Rat-tailed....66
Leaf-nosed 374
Beaver, Mountain 669
bird....71, 169, 222, 247–48, 304, 306–07, 309, 312, 314–15, 337–40, 357–60, 366, 390, 394, 441, 444, 448, 506, 523, 618–20, 673, 677, 679, 681, 712, 737, 740
marine 516
Bison, American.....647
Blackbird, Red-winged....78, 85–86, 89, 94
Blarina 354
brevicauda 180
Bobolink.....71, 78–79, 82, 89–90
Bos indicus.....406, 410, 413–14
taurus.....410, 413
Bovidae 647
Bradypus griseus griseus.....299
Branta canadensis.....337
budgerigar 366
buffalo 720
Bufo.....398
boreas halophilus.....301
bullock 266
Calamospiza melanocorys.....73
Calandrella cinerea.....74
Calidris alba.....314
subminuta 314
Callosciurus finlaysoni germaini..588
notatus 588
Calomyscus 669
camel.....243, 252–54, 639
Camelus 639
Campephaga phoenica.....74
Campephagidae.....74
Canis aureus.....169
familiaris.....180, 316, 321
latrans.....169, 713
niger 169
Capitonidae 738
Caprimulgiformes 738
carabao 240–41
Cardinal 92
Carduelinae 93
Carduelis carduelis.....74
carnivore 639
Casuarius casuarius sclaterii.....169
cat....180, 184, 187, 267, 315, 366, 393, 395, 398, 403–04, 446, 632
house 502
Cepphus columba.....506
Cercomela familiaris.....74
Cercomys cunicularis.....430
Cerorhinca monocerata.....506
Cervidae 647
Cervus canadensis.....263
elaphus 639
Chat, Tropical Cliff.....441, 444
Charadriiformes.....737
Chickadee, Carolina.....78–79, 82
chicken....222, 231, 234, 239, 281–82, 298, 305, 309, 311, 390, 395, 398, 403, 405, 408, 418, 420, 430, 516, 591–93, 617–20
chipmunk.....183, 714
Chipmunk, Eastern.....180–83, 185
Yellow-pine 713
Chiropodomys 677
Chiroptera 588
Choloepus didactylus.....299
hoffmanni 299–302
Chondestes grammacus.....72, 74
Chrysemys picta.....249
Ciconiiformes 737
Clethrionomys gapperi.....473
Columba guinea guinea.....442, 444
guinea phaeonota.....441, 444
Coraciiformes 737
Cormorant, Brandt's..... .506
Double-crested 506
Japanese 314
Pelagic 506
Cossypha heuglini.....74
Cottontail, Desert.....182
Eastern.....180, 185
cow....40, 61, 115, 174, 226, 231–33, 235–41, 246, 248–53, 255–57, 263, 266–67, 292, 337, 341–42, 390–92, 394–96, 398–400, 404, 406–15, 417–19, 451, 469, 502, 515–16, 567–68, 579–86, 591, 600–01, 627–28, 629–43, 645–53, 713–14, 717
Cowbird, Brown-headed...78, 85–86, 89, 94
Coyote.....169, 713–14
Cracticidae 74
Cracticus mentalis.....74
nigrogularis 74
torquatus 74
Cratogeomys 335
Crocidura 678
Crotalus adamanteus.....146
Cuculidae 738
Cuculiformes 738
Cyanocompsa cyanoides.....74
Dacelo gigas.....74
Dama dama.....169
deer....170–72, 234, 241, 263–65, 293, 295, 298, 376, 390–91, 502, 627–28, 632, 636, 644, 651, 714, 717, 719–20
Deer, Black-tailed.....298
Columbian Black-tailed...169, 265, 267
Fallow.....169, 414
Mule....251, 264–65, 267, 375–76, 713
Roe 647
White-tailed.....234, 414, 635–36
Delichon urbica.....529
urbica cashmirensis.....529
Dendroica auduboni.....73
caerulescens 72–73
cerulea 73
coronata 72–73
dominica.....73
magnolia.....73
petechia 73
pinus 72–73
striata 72–73
tigrina 72–73
virens 73
Dicrostomyx hudsonius.....222
Didelphis virginiana.....180
Dingo 169
Diomedea nigripes.....735
dog....26, 169, 180, 184, 187–88, 252, 254, 267, 315, 366, 390, 393, 395–96, 399–400, 402, 404–05, 429, 446, 448–49, 632, 638, 642–43, 685, 712
effects of tick feeding.....26
histopathology 26
Dolichonyx oryzivorus.....72–73
drill 260–61
duck 337–40
eland 638
Elk.....251, 263–64, 267
Emballonura 375
Emberiziinae 93
Empidonax alnorum.....73
flaviventris 72–73
Epiplatys 20

Erethizon dorsatum....714
Erythropygia coryphaeus....74
Eudyptes chrysolophus....309, 314
Eurylaimi....738
Eurylaimidae....738
Eutamias amoenus....713
alpinus....222
Felis catus....180, 316–17, 319, 321
finch....93
fish, mosquito....20
Flycatcher, Yellow-bellied..78–79, 82
Formicariidae....738
fowl....395
fox....390
Fox, Gray....180, 185
Red....180, 185, 316
Silver....316
Fratercula arctica..304, 306, 309, 314
Fregata ariel ariel....516
Frigatebird, Lesser....516
Fringillidae....71, 90
frog....542
Fulmar....314
Fulmaris glacialis....314
Fundulus....20
Furnariidae....738
Gambusia....20
affinis....1, 20
affinis....20
holbrooki....20
Gaviiformes....737
Gazelle, Grant's....40
Thompson's....40
Geokichla piaggiae....74
Geomyidae....331
Geomys....331, 335
Geothlypis trichis....72–73
Gerbil, Common....62
Gerbillus gerbillus....62
Geronticus calvus....441, 444
Glaucomys....354
goat....40, 401, 404, 629, 632, 636, 638–42
Angora....640–41
goose....175, 305, 338–40
Goose, Canada....337
gopher....333–35
Gopher, Pocket....331, 334–35, 671, 673
Yellow-faced Pocket....331
Grosbeak, Black-headed....78, 82, 85–86, 89–91, 93
Gruiformes....737
Guillemot, Pigeon....506
guinea pig....61, 67, 113, 135, 234, 239–47, 253–54, 258, 299, 366, 370, 390, 392, 396–400, 402, 406, 410, 429, 728
gull....312
Gull, Great Black-backed....304
Herring....304, 309–10, 313–14
Western....506
Gygis alba....735
Gymnorhina tibicen....74
Haematopus bachmani....506
hamster....174, 301, 303, 366, 370, 390, 429, 433, 438–39
Hamster, Golden....300
hare....40, 316, 320
Hare, Snowshoe....47, 390, 699
Hedgehog, Madagascar....675
Helmintheros vermivorus....73
heron....66, 610
Hipposideros....375
diadema....374
larvatus....588
Hirundinidae....74
Hirundo....441–42, 444
abyssinica unitatis....442, 444
daurica....441
emini....441, 444
fuligula anderssoni....442, 444
fusciventris....441–42, 444
rustica....74
horse....115, 230–32, 234, 240–42, 252–54, 264–65, 375–77, 392–93, 399, 402, 446, 502, 566–67, 632, 637–39, 641–43, 647, 651
Hylopetes spadiceus....588–89
Hypochera funerea....74
Ibis, Bald....441–42, 444
South African Bald....443
Icteridae....71
Jackal....169
Junco phaeonotus....72
Junco, Yellow-eyed....80, 86, 90
Jyngidae....738
kangaroo....261–63
Kangaroo, Great Gray...262–63, 267
Kittiwake, Black-legged....314
lagomorph....700
Lagonosticta rhodopareia....74
Lalage tricolor....74
Lama peruana....639
Laniidae....72
Lanius collaris....74
collurio....74
excubitorius....74
ludovicianus....72, 74
mackinnoni....74
Larus argentatus....304, 306, 309–10, 313–14
marinus....304, 306
occidentalis....506
Leporidae....40
Lepus americanus....47, 390
capensis....40–44, 46–47
crawshayi....40, 42–43, 46–47
Limnothlypis swainsonii....72–73
livestock....621
lizard....137, 140–41
Lizard, Sleepy....137
llama....639
Lonchura punctulata....74
Lorentzimys....669, 671
Lunda cirrhata....314, 506
Macropus giganteus....262
robustus....262, 516
rufogriseus....262
Mallomys rothschildi....679
mammal....169, 177, 179, 183, 313, 315, 351, 448, 506, 587, 638, 659, 675, 677–79, 681, 700, 746
man....173–74, 177, 179, 202, 222, 232, 240–47, 259–61, 266, 299, 307, 315, 318–25, 328, 341, 346, 370, 380, 390, 394–95, 399–400, 402–05, 418–19, 429–30, 433, 441–42, 444, 446, 449, 451, 470, 486–87, 497, 501–02, 505, 516, 534, 556, 566, 599–600, 603, 612–13, 621, 627, 629, 642–43, 647, 685, 709, 713, 720, 742, 744, 747–48
Mandrillus leucophaeus....260
marmot....714
Marmot, Yellow-bellied....713
Marmota flaviventris....713
monax monax....180
marsupial....169, 261, 263, 267, 625, 682
Martin, African Rock....441–42, 444
Rock....442–44
Meles meles....316
Melomys....671, 679
Melospiza georgiana....72, 74
lincolnii....74
melodia....72
Menetes berdmorei....589
Meriones libycus....108
tristrami....107
uguiculatus....58
Meropidae....738
Microtus....62, 354
californicus....506
pennsylvanicus....354
pennsylvanicus....180
townsendii....506
Miniopterus....375
Mniotilta varia....72, 73
mole....671, 683
mole-rat....671, 673
Molothrus ater....72, 74
bonariensus....74
Monarchidae....93
mongoose....638
monkey....253, 258–61
Monkey, Vero....174
Moose....264, 267, 390
Motacilla aguimp....74
alba....74
capensis....74
flava....74
Motacillidae....72
mouse....62, 64, 67, 173, 175–77, 188, 222, 232, 234, 244, 247–48, 252, 276–78, 281, 304–05, 309, 351–52, 354–55, 390, 395, 397, 399–401, 403, 405–06, 408–11, 429, 446, 451, 469–70, 487, 493–95, 589, 591–93, 678, 749
white....62, 202, 239, 244, 493–95
Mouse, African Spiny....675
Brush....62
Deer....107, 355, 713–14
Meadow Jumping....180, 185
Piñon....107
Red-backed....473
Rümmler's Brush....660, 671, 678
White-ankled....62, 64
White-footed....61, 180–81, 185, 351
mule....264–65, 375–76, 641
murre....309

Murre, Common...304, 309, 314, 506
Mus.....588–89, 680
lepturus.....589
musculus....62, 137, 222, 396, 527
norvegicus.....589
rattus.....589
Muscicapidae.....74
Mustela.....473
erminea bangsi.....473
Myrmecocichla.....442
cinnamomeiventris subrufipennis.....441–42, 444
Neotoma.....55, 58, 61, 162, 182, 713
cinerea.....52–60
fuscipes.....52, 57
lepida.....162
Oceanodroma furcata.....506
leucorhoa.....304, 306, 314, 506
Ochotona.....523, 525, 527
thibetana.....527
Ochrotomys nuttalli.....62
Odocoileus.....169, 171
hemionus.....375, 713
columbianus.....169, 298
Oenanthe oenanthe.....74
Oilbird.....737
Onychomys leucogaster.....62
Onycognathus rueppelli.....442, 444
Oporornis tolmiei.....73
opossum.....183–84, 190
Opossum, Virginia..180, 183–84, 190
Oryctolagus cuniculus.....61–62, 316–17, 319, 321
ostrich.....638
Otter, River.....506
Sea.....403
Ovenbird.....78
Ovis canadensis.....98, 639
ox.....648
Oystercatcher, Black.....506
Pachycephala rufiventris.....74
Pachycephalidae.....74
Pappogeomys.....331, 333–35
castanops.....331
castanops.....334
clarkii.....335
consitus.....335
excelcus.....334
goldmani.....334–35
lacrimalis.....335
parviceps.....335
perexiguus.....334–35
subsimus.....334–35
surculus.....334–35
tamaulipensis.....334
torridus.....335
Paradoxurus.....588
Paridae.....93
Parula americana.....72–73
Parulidae.....71, 90
Parus carolinensis.....72–73
Passer domesticus.....357
Passerculus sandwichensis.....74
Passeres.....738
Passeriformes.....737
Passerina cyanea.....73
Pelecaniformes.....737
penguin.....306
Penguin, Royal.....309, 314
Peromyscus.....57–58, 64, 183, 354
boylii.....62
crinitus.....53, 58, 162
floridanus.....62
gossypinus.....62
leucopus.....61–65, 351
noveboracensis.....180
maniculatus....52–54, 57–60, 62, 107, 506, 713
pectoralis.....62
truei.....107
petrel.....312
Petrel, Fork-tailed.....506
Leach's.....304, 314, 506
Petrochelidon pyrrhonota.....99
Petroica rosea.....74
Phalacrocorax auritus.....506
filamentosus.....314
pelagicus.....506
penicillatus.....506
Phalarope.....314
lobatus.....314
Pheucticus ludovicianus.....74
melanocephalus.....72–73
Phoeniculidae.....738
Phrynobatrachus.....541
natalensis.....541
Phyllotis darwinii limatus.....301
Picidae.....738
Piciformes.....737
pig....232–33, 247, 256–57, 395, 398, 403, 417, 593, 629, 639, 642
pigeon....66, 102, 247–48, 400, 444–45, 610
Pigeon, Cape Rock.....441, 444
Rock.....442–44
South African Rock.....443
Speckled.....442, 444
Pipilo erythrophthalmus.....72–73
fuscus.....72–73
Pipit, Water.....92
Piranga rubra.....72–73
Pithecheir.....677
Pitymys.....354
sikimensis.....527
Ploceidae.....74
Plover, Pacific Golden.....735
Pluvialis dominica.....735
dominica fulva.....735
Pogonomelomys.....671, 680
ruemmleri....660, 664, 669, 671, 677–79
Pogonomys.....671, 679, 682
Poliospiza striolata.....74
Pooecetes gramineus.....74
porcupine.....675, 714
Procellariiformes.....737
Procyon lotor hirtus.....180
Prothonotaria citrea.....73
Ptychadena.....541
taenioscelis.....541
Ptychoramphus aleuticus.....506
Ptyonoprogne fuligula rufigula...441
puffin.....312, 314
Puffin, Common.....304, 309, 314
Tufted.....314, 506
Pyrrhula pyrrhula.....74
Pyrrhuloxia.....93
sinuata.....72, 74
Pyrrhuloxiinae.....93
rabbit....38, 61, 122, 131, 133–35, 216, 219, 222, 240–45, 248–49, 252–54, 258, 277, 315, 341, 379, 390, 395, 397–400, 404–05, 411, 435, 438, 446, 541, 591, 599, 632, 676, 699, 702, 704, 728, 731–32
cottontail.....179, 184, 187
jack.....390
Rabbit, European Wild....316, 319
Raccoon.....180, 184, 190
rat....222, 244, 252, 254–55, 346, 390, 395, 397, 405, 531, 534, 588, 675, 677, 682
forest.....531
water.....243–44
white.....222, 243, 253, 255, 495
Hispid Cotton.....62, 64
Yunnan Buff-breasted.....495
Rattlesnake, Eastern Diamondback.....146
Rattus....588–90, 660, 671, 679–80, 682
annandalei.....588–89
argentiventer.....588–89
baluensis.....588, 678
berdmorei.....589
concolor.....588–90
coxinga.....589
cremoriventer.....677
culturatus.....589
eha.....527
exiguus.....588
exulans concolor.....588–90
flavipectus.....588
yunnanensis.....495
fulvescens.....588–89
fuscipes.....217
jalorensis.....493, 495, 588–89
lepturus, as Mus.....589
moi.....589
natalensis.....396
nitidus.....588
niviventer.....588–89
champa.....588
condorensis.....588–89
norvegicus.....222, 588–90
palawanensis.....588
panglima.....588
rajah.....588–89
koratis.....588–89
rattus.....527, 588–89, 735
flavipectus.....588–90
germaini.....588–90
hainanicus.....588–90
molliculus.....588–89
sabanus.....589–90
sladeni.....589
surifer.....588–89
tiomanicus.....588
turkestanicus.....527
whiteheadi.....588
Redstart, American.....78–79
Reindeer.....250
reptile.....395, 446, 448, 679

Rhamphocelus bresilius dorsalis....73
carbo centraus.....73
rhinoceros 638
Rhinocryptidae 738
Rhinolophus chaseni.....588
Rhinopoma handwickei cystops....66
Richmondena cardinalis.....72, 74
Rissa tridactyla.....314
rodent....51, 61, 182, 243, 245, 254, 384, 395, 430, 493, 523, 590, 682, 713, 717
Rodentia.....331
ruminant.....395, 000
Saccopteryx bilineata.....301
Saxicola rubertra.....74
torquata 74
Sceloporus occidentalis occidentalis.....301
Sciurus 354
carolinensis 180–81
niger rufiventer.....180
Scotophilus temminckii.....66
Sciurus aurocapillus.....73–73
motacilla.....73
noveboracensis 72–73
Setophaga ruticilla.....72–73
sheep....40, 170, 241, 243, 263–65, 267, 390–93, 395, 397–98, 400–12, 415, 417–20, 516, 600, 629, 632–33, 636, 638–40, 642–43, 651, 653
Sheep, Bighorn.....98
Mountain 639
shrew.....354, 671, 678, 683
Shrew, Assamese Tree.....495
Masked.....180, 185
Short-tailed.....180, 186
shrew-mole 671
Shrike, Loggerhead.....92
Sigmodon hispidus.....62
Skunk, Spotted.....162
sloth 299–302
snake.....390, 405
Sorex.....186, 354, 678
cinereus.....180
sparrow.....357, 359
Sparrow, Black-throated.....80
Field.....78, 86, 91
House 357–59
Lark.....80, 86, 90, 94
Song 86
Swamp.....78, 80, 86, 90
Vesper.....71, 86, 89
White-throated...78, 80, 82, 85, 94
Spermophilus beecheyi.....54, 182
lateralis 54
tridecemlineatus tridecemlineatus 180
Spheniscidae.. 306
Spilogale putoris.....162
Spizella passerina.....74
pucilla.....72, 74
squirrel...182–83, 188, 354, 673, 682
flying.....673, 675
Squirrel, California Ground.....182
Fox.....180–81, 185
Gray.....179–84, 188–90
Red.....182, 190, 473–74
Thirteen-lined Ground....180, 185
starling 395
Starling, Red-winged.....442, 444
Steatornis caripensis.....740
Steatornithidae 738
Sterna dougallii arideensis.....516
Streptera graculina.....74
Sturnidae 74
Suncus murinus.....590
Sus scrofa.....398
swallow 104–05
Swallow, Cliff.....99, 104
Red-rumped.....444
Striped 442–44
swift.....737
Sylvilagus audubonii warreni ..182
floridanus mearnsii.....180
Tachyphonus rufus.....73
surinamus 73
tadpole 539
Taeniopygia castonotis.....74
Tamias striatus.....354
striatus ohioensis.....180
Tamiasciurus hudsonicus hudsonicus 473
hudsonicus regalis.....473
tanager 71
Tanager, Summer...78–80, 82, 85, 93
Tangara gyrola.....73
seledon 73
Teretistris fornsi.....74
Tern, Roseate.....516
Testudo hermanni.....398
Thamnomys rutilans.....589
Thecadactylus rapicaudus.....301
Thraupidae 71
Tiaris fulginosa.....73
toad 405
tortoise.....398, 405
Towhee, Brown.....80
Rufous-sided 86
Trachydosaurus rugosus.....137
Tupaia 588
belangeri versurae.....495
glis dissimilis.....588
modesta 588–89
Turdidae 74
turkey 169
turtle 249–50
Tyranni 738
Tyrannidae 93
ungulate 40
Uria aalge.....304, 309, 314, 506
Urocyon cinereoargenteus ocythous 180
Urolestes melanoleucus.....74
Vermivora chrysoptera.....73
Vidua macroura.....74
vireo 93
Volantinia jacarina.....73
vole 354
Vole, Meadow.....180, 185
Vulpes vulpes.....180, 316
Wallabia agilis.....169
wallaby.....262–63, 267
Wallaby, Red-necked.....262
wallaroo.....262–63, 267, 516
Wallaroo, Eastern.....262
Wapiti.....263, 639
warbler.....75, 79, 82
wood 93
Warbler, Black and White.....72
Blackpoll.....72
Black-throated Blue.....78
Cape May.....72
Myrtle.....71, 85–86, 90
Parula 78
Pine.....72, 94
Swainson's.....78–80, 82, 85, 90
Warthog 598
water, buffalo...240–41, 251, 254, 613
Waterthrush, Northern.....72
weasel 473
Weasel, Short-tailed.....473–74
Wilsonia citrina.....73
pusilla 73
Wolf, Red.....169
Woodchuck.....180, 187
woodrat.....53, 182, 188, 713–14
Woodrat, Bushy-tailed.....56
Desert 162
Yellowthroat 72
Zapus hudsonius intermedius....180
zebra 638
Zonotrichia albicollis.....72, 74

JOURNAL
OF
MEDICAL ENTOMOLOGY

Volume 13
1976

Published by
Department of Entomology, Bishop Museum
Honolulu, Hawaii, U.S.A.

EDITORIAL COMMITTEE

F. J. Radovsky, *Co-editor*
J. M. Tenorio, *Co-editor*
J. L. Gressitt, *Managing Editor*
A. R. Barr
J. M. Brennan
A. W. A. Brown
C. M. Clifford
M. Daniel
W. G. Downs
R. O. Drummond
D. P. Furman
T. D. C. Grace
G. P. Holland
H. Hoogstraal
N. Kumada
N. J. Marchette
J. Rageau
D. E. Sonenshine
R. Traub
M. G. R. Varma
R. Zeledón
Assistant Editors: Eileen D'Araujo, Shirley Samuelson
Business Manager: Wilmot Fitzgerald
Editorial Assistant: Dorothy Hoxie

Entomology Staff, Bishop Museum 1976

Keith Arakaki, Candida Cardenas, Eileen D'Araujo, Neal L. Evenhuis, Glen Fukunaga, Wayne Gagné, J. L. Gressitt, Carol Higa (Admin. Asst.), Francis Howarth, Nancy Howarth, Dorothy Hoxie, June Ibara, David Kemble, T. C. Maa, Grace Nakahashi, Gordon M. Nishida, Richard Papp, F. J. Radovsky (Chairman), G. A. Samuelson, Shirley Samuelson, W. A. Steffan, Sabina Swift, JoAnn Tenorio, Joaquin Tenorio, Grace Elaine Thompson. *Associates in Entomology, Bishop Museum: Honorary Associates:* J. Balogh (Budapest), J. B. Beardsley (Honolulu), F. A. Bianchi (Honolulu), J. M. Brennan (Honolulu), H. L. Carson (Honolulu), D. E. Hardy (Honolulu), H. Hoogstraal (Cairo), E. W. Jameson, Jr (California), N. L. H. Krauss (Honolulu), K. Sakimura (Honolulu), R. W. Strandtmann (Texas), J. J. H. Szent-Ivany (South Australia), R. Traub (Baltimore), K. Yasumatsu (Fukuoka), E. C. Zimmerman (Canberra). *Research Associates:* P. F. Bellinger (California), C. J. Davis (Honolulu), R. F. Forster (New Zealand), M. Lee Goff (Honolulu), C. R. Joyce (Honolulu), N. A. Kormilev (New York), M. Maffi (Italy), E. N. Marks (Brisbane), P. F. Mattingly (London), W. C. Mitchell (Honolulu), W. P. Mull (Hawaii), M. Nadchatram (Kuala Lumpur), J. C. E. Riotte (Honolulu), K. Sattler (London), B. Sugerman (Honolulu), J. M. Valentine (Miami). *Field Associate:* A. B. Mirza (Papua New Guinea).

Printed by Kyourinsha Co., Ltd.
Tokyo, Japan

CONTENTS OF VOLUME 13

ADAMES, ABDIEL J. see Sousa & Adames

AMIN, OMAR M.—Host associations and seasonal occurrence of fleas from southeastern Wisconsin mammals, with observations on morphologic variations.....179

ANDREWS, WAYNE N., WAYNE A. ROWLEY, YAU W. WONG, DONALD C. DORSEY & WILLIAMS J. HAUSLER, JR—Isolation of trivittatus virus from larvae and adults reared from field-collected larvae of *Aedes trivittatus* (DIPTERA: CULICIDAE).....699

ARLIAN, LARRY G. see Brandt & Arlian

ATMOSOEDJONO, SOEROTO, FELIX PARTONO, DAVID T. DENNIS & PURNOMO—*Anopheles barbirostris* (DIPTERA: CULICIDAE) as a vector of the Timor filaria on Flores Island: Preliminary observations.....611

ATYEO, WARREN T. & PAUL C. PETERSON—Trouessartiidae, new status, with the description of a new genus (ACARINA: ANALGOIDEA).....737

AXELROD, HAROLD see Mulla & Axelrod

AXTELL, R. C. see Kline & Axtell

BAKER, RICHARD H. & RICHARD K. SAKAI—The genetics of *Curly*, a dominant, sex-linked mutant of *Culex tritaeniorhynchus*.....614

BARKER, ROY J. & YOLANDA LEHNER—Sugars in hemolymph of ticks.....379

BARNES, A. M. see Prince et al.

BARR, A. RALPH see Cheng & Barr, see Tewfik & Barr

BARRETT, C. C. see Gingrich & Barrett

BAY, D. E.—Cattle biting louse, *Bovicola bovis* (MALLOPHAGA: TRICHODECTIDAE), phoretic on the horn fly, *Haematobia irritans* (DIPTERA: MUSCIDAE).....628

BELL, J. F. see W. A. Nelson et al.

BENTLEY, MICHAEL D., IVAN N. MCDANIEL, HAI-POONG LEE, BARBARA STIEHL & MITSUYOSHI YATAGAI—Studies of *Aedes triseriatus* oviposition attractants produced by larvae of *Aedes triseriatus* and *Aedes atropalpus* (DIPTERA: CULICIDAE).....112

BENTON, ALLEN H. & ROBERT M. TIMM—Description of the female of *Rhadinopsylla media* (SIPHONAPTERA: HYSTRICHOPSYLLIDAE).....473

BERGER, R. S. see Kellum & Berger

BRANDT, ROBERT L. & LARRY G. ARLIAN—Mortality of house dust mites, *Dermatophagoides farinae* and *D. pteronyssinus*, exposed to dehydrating conditions or selected pesticides.....327

BRONSWIJK, J. E. M. H. v. & E. J. DE KREEK—*Cheyletiella* (ACARI: CHEYLETIELLIDAE) of dog, cat and domesticated rabbit, a review.....315

BROWN, A. W. A., J. HAWORTH & A. R. ZAHAR—Malaria eradication and control from a global standpoint..... 1

BULFIN, E. T. see Kay & Bulfin

BULL, MICHAEL & GREGORY J. SARA—The population structure of an Australian reptile tick, *Aponomma hydrosauri* (ACARI: IXODIDAE). I. Evidence from an esterase polymorphism.....137

BUSHNELL, R. B. see Schmidtmann et al.

BUTLER, J. F., W. J. KLOFT, L. A. DUBOSE & E. S. KLOFT—Recontamination of food after feeding a ^{32}P food source to biting Muscidae.....567

CAMPOS, EDUARDO G. see Stark et al.

CARLEY, J. G. see Kay et al.

CARNEY, W. PATRICK see Hadi et al.

CASTO, STANLEY D.—Dispersal of the quill mite *Syringophiloidus minor* (Berlese) (ACARINA: SYRINGOPHILIDAE).....357

CASTO, STANLEY D. see Pence & Casto

CHADWICK, P. R., MARIANO MARTIN & JOSÉ MARÍN—Use of thermal fogs of bioresmethrin and cismethrin for control of *Periplaneta americana* (INSECTA: BLATTIDAE) in sewers.....625

CHANDLER, J. A. & R. B. HIGHTON—The breeding of *Anopheles gambiae* Giles (DIPTERA: CULICIDAE) in rice fields in the Kisumu area of Kenya.....211

CHANDLER, J. A., R. B. HIGHTON & M. N. HILL—Mosquitoes of the Kano Plain, Kenya. II. Results of outdoor collections in irrigated and nonirrigated areas using human and animal bait and light traps.....202

CHARLET, LAURENCE D., MIR S. MULLA & MARIO SANCHEZ-MEDINA—Domesic Acari of Colombia: Abundance of the European house dust mite, *Dermatophagoides pteronyssinus* (ACARI: PYROGLYPHIDAE), in homes in Bogotá, Colombia.....709

CHAUDHRY, H. S. & C. P. M. TRIPATHI—Susceptibility of female gonads of *Sarcophaga ruficornis* (Fabr.) (DIPTERA: SARCOPHAGIDAE) to thiourea in relation to their age.....571

CHENG, MIN-LEE & A. RALPH BARR—The inheritance of pigmented paddle (du^2) in *Culex pipiens* (DIPTERA: CULICIDAE).....347

Christensen, H. A. & Aristides Herrer—Neotropical sand flies (Diptera: Psychodidae), invertebrate hosts of *Endotrypanum schaudinni* (Kinetoplastida: Trypanosomatidae).....299
Christensen, H. A. see Zimmerman et al.
Clark, Gary G., Charles P. Hibler, Byron R. Donaldson & Gerald H. Gates—Hematophagous activities of *Hybomitra laticornis* and *H. tetrica rubrilata* (Diptera: Tabanidae).....375
Clark, T. B. see Rogoff et al.
Clifford, Carleton M., John E. C. Flux & Harry Hoogstraal—Seasonal and regional abundance of ticks (Ixodidae) on hares (Leporidae) in Kenya..... 40
Clifford, Carleton M. see Easton et al., see Nelson et al.
Colbo, M. H.—Diurnal emergence patterns of two species of Simuliidae (Diptera) near Brisbane, Australia.....514
Cole, John R., Jr see Payne et al.
Connolly, Guy E. see Westrom et al.
Converse, J. D. see Varma & Converse
Craig, George B., Jr see Saul et al.
Cromroy, Harvey L. see Phillis & Cromroy
Cross, J. H. see Lien et al.
Crovello, Theodore J. see Hacker et al.
Cupp, E. W. see Magnarelli & Cupp, see Raminani & Cupp
Dadd, R. H. & J. E. Kleinjan—Chemically defined dietary media for larvae of the mosquito *Culex pipiens* (Diptera: Culicidae): Effects of colloid texturizers.....285
Dame, D. A. see Seawright et al.
DeFoliart, G. R. see Jackson & DeFoliart
de Lumen, Helen Z. see Judson & de Lumen
Dennis, David T. see Atmosoedjono et al.
Dixon, John E. W. see Hoogstraal et al.
Dodgshun, T. J. see Pillai et al.
Doi, Rikuo, Akiko Shirasaka, Manabu Sasa & Akira Oya—Studies on the susceptibility of three species of mosquitoes to Japanese encephalitis virus.....591
Donaldson, Byron R. see Clark et al.
Dorsey, Donald C. see Andrews et al.
Downs, W. G. see Main et al.
Dubose, L. A. see Butler et al.
Eads, R. B. see Prince et al.
Easton, Emmett R., James E. Keirans, Robert A. Gresbrink & Carleton M. Clifford—The distribution in Oregon of *Ixodes pacificus*, *Dermacentor andersoni*, and *Dermacentor occidentalis* with a note on *Dermacentor variabilis* (Acarina: Ixodidae).....501
Easton, Emmett R. see Hoogstraal et al.
Elbel, Robert E. see Stark et al.
Eley, Thomas J., Jr—*Ixodes uriae* (Acari: Ixodidae) from a River Otter.....506
Engel, E. see Theis et al.
Filippich, Cheryl see Kay et al.
Flux, John E. C. see Clifford et al.
Franti, C. E. see Theis et al.
Gates, Gerald H. see Clark et al.
Gingrich, R. E. & C. C. Barrett—Natural and acquired resistance in rodent hosts to myiasis by *Cuterebra fontinella* (Diptera: Cuterebridae)..... 61
Gladney, W. J., M. A. Price & O. H. Graham—Field tests of insecticides for control of the Gulf Coast tick on cattle.....579
Goff, M. Lee—A new species of *Toritrombicula* (Acarina: Trombiculidae) from the Pacific Golden Plover in the Hawaiian Islands.....735
Gómez, Cela, Jorge E. Rabinovich & C. E. Machado-Allison—Population analysis of *Culex pipiens fatigans* Wied. (Diptera: Culicidae) under laboratory conditions.....453
Gooding, R. H. see Thomas & Gooding, see Thomas et al.
Gouck, H. K. see Schreck et al.
Graham, O. H. & J. L. Hourrigan—Eradication programs for the arthropod parasites of livestock.....629
Graham, O. H. see Gladney et al.
Gresbrink, Robert A. see Easton et al.
Gretz, G. H. see Rogoff et al.
Grimstad, Paul R. see Saul et al.

GUBLER, DUANE J. & LEON ROSEN—Quantitative aspects of replication of dengue viruses in *Aedes albopictus* (DIPTERA: CULICIDAE) after oral and parenteral infection....469
HACKER, CARL S., WEI-WEI LING, BARTHOLOMEW P. HSI & THEODORE J. CROVELLO—An application of mathematical modelling to the study of reproductive adaptations in the yellow fever mosquito, *Aedes aegypti*....485
HADI, TUTI R., W. PATRICK CARNEY, P. F. D. VAN PEENEN & W. B. HULL—Laelapid mites (ACARI: MESOSTIGMATA) from mammals of South Vietnam....587
HAILE, D. G. & D. E. WEIDHAAS—Computer simulation of mosquito populations (*Anopheles albimanus*) for comparing the effectiveness of control technologies....553
HAIR, JAKIE A. see Semtner & Hair
HALL, R. D. & E. C. TURNER, JR—The northern fowl mite (ACARINA: MACRONYSSIDAE) collected from rats in a chicken house....222
HAUSLER, WILLIAM J., JR see Andrews et al.
HAWORTH, J. see Brown et al.
HELLENTHAL, RONALD A. & ROGER D. PRICE—Louse-host associations of *Geomydoecus* (MALLOPHAGA: TRICHODECTIDAE) with the Yellow-faced Pocket Gopher, *Pappogeomys castanops* (RODENTIA: GEOMYIDAE)....331
HERRER, ARISTIDES see Christensen & Herrer
HIBLER, CHARLES P. see Clark et al.
HIGHTON, R. B. see Chandler et al., see Chandler & Highton
HILL, M. N. see Chandler et al.
HINDS, M. J. see Linley & Hinds
HO, BENG-CHUAN, MULKIT SINGH, EU-HIAN YAP & EVELYN P. C. LIM—Studies on the rat filaria, *Breinlia booliati* (FILARIOIDEA: ONCHOCERCIDAE): Relative suspectibility of various species of mosquitoes....531
HODGSON, RONALD K.—*Tyrophagus putrescentiae* (ACARINA: TYROGLYPHIDAE) in cultures of *Dermatophagoides farinae* (ACARINA: PYROGLYPHIDAE) controlled by low humidity....223
HODSON, A. C. see Richards et al.
HOKAMA, Yoshiaki & J. A. HOWARTH—Dry-ice (CO_2) trap for efficient field collection of *Ornithodoros coriaceus* (ACARINA: ARGASIDAE)....627
HOOGSTRAAL, HARRY, HILDA Y. WASSEF, EMMETT R. EASTON & JOHN E. W. DIXON—Observations on the subgenus *Argas* (IXODOIDEA: ARGASIDAE: *Argas*). 12. *Argas* (*A.*) *africolumbae:* variation, bird hosts, and distribution in Kenya, Tanzania, and South and South-West Africa....441
HOOPER, G. R. see Zimmerman et al.
HOURRIGAN, J. L. see Graham & Hourrigan
HOWARTH, J. A. see Hokama & Howarth
HOWELL, FRED G.—Influence of the daily light cycle on the behavior of *Argas cooleyi* (ACARINA: ARGASIDAE)....99
HOYER, LAWRENCE C. & LLOYD E. ROZEBOOM—Inheritance of autogeny in the *Aedes scutellaris* subgroup of mosquitoes....193
HOYER, LAWRENCE C. & LLOYD E. ROZEBOOM—Genetic relationships between several autogenous and anautogenous populations of the *Aedes* (*Stg.*) *scutellaris* group of mosquitoes....463
HSI, BARTHOLOMEW see Hacker et al.
HULL, W. B. see Hadi et al.
ISAAC, ISAAC S.—The subgenus *Persicargas* (IXODOIDEA: ARGASIDAE: *Argas*). 28. *Argas* (*P.*) *arboreus:* Effect of blood meal weight on nymphal instar numbers....609
JACKSON, J. O. & G. R. DEFOLIART—Relationships of the White-footed Mouse, *Peromyscus leucopus*, and its associated fleas (SIPHONAPTERA) in southwestern Wisconsin....351
JARRATT, JAMES H. see Norment & Jarratt
JUDSON, CHARLES L. & HELEN Z. DE LUMEN—Some effects of juvenile hormone and analogues on ovarian follicles of the mosquito *Aedes aegypti* (DIPTERA: CULICIDAE)....197
KAISER, P. E. see Seawright et al.
KAMAL, KARIM A. see Maroun & Kamal
KAWENGIAN, B. A. see Lien et al.
KAY, B. H. & E. T. BULFIN—Modification of a livestock crush into a stable trap for mosquito collection....515
KAY, B. H., J. G. CARLEY & CHERYL FILIPPICH—The multiplication of Queensland and New Guinean arboviruses in *Aedes funereus* (Theobald) (DIPTERA: CULICIDAE)....451
KEIRANS, JAMES E. see Easton et al., see Nelson et al.
KELLUM, D. & R. S. BERGER—Relationship of the occurrence and function of 2,6-dichlorophenol in two species of *Amblyomma* (ACARI: IXODIDAE)....701
KILLICK-KENDRICK, R., A. J. LEANEY & P. D. READY—The establishment, maintenance and productivity of a laboratory colony of *Lutzomyia longipalpis* (DIPTERA: PSYCHODIDAE)....429
KLEINJAN, J. E. see Dadd & Kleinjan

KLINE, D. L. & R. C. AXTELL—Distribution of *Culicoides hollensis, C. furens* and *C. bermudensis* in relation to plant cover in a North Carolina salt marsh (DIPTERA: CERATOPOGONIDAE).....545
KLOFT, E. S. see Butler et al.
KLOFT, W. J. see Butler et al.
KREEK, E. J. DE see Bronswijk & Kreek
KRINSKY, WILLIAM L.—Animal disease agents transmitted by horse flies and deer flies (DIPTERA: TABANIDAE).....225
LANGLEY, P. A.—Initiation and regulation of ingestion by hematophagous arthropods.....121
LAMI, BORAHIMA see Lien et al.
LEANEY, A. J. see Killick-Kendrick et al.
LEE, HAI-POONG see Bentley et al.
LEHNER, YOLANDA see Barker & Lehner
LEWIS, ROBERT E.—The genus *Frontopsylla* in Nepal with the description of a new species (SIPHONAPTERA: LEPTOPSYLLIDAE).....523
LIEN, J. C., B. A. KAWENGIAN, F. PARTONO, BORAHIMA LAMI & J. H. CROSS—A brief survey of the mosquitoes of South Sulawesi, Indonesia, with special reference to the identity of *Anopheles barbirostris* (DIPTERA: CULICIDAE) from the Margolembo area.....719
LIM, EVELYN P. C. see Ho et al.
LING, WEI-WEI see Hacker et al.
LINLEY, J. R. & M. J. HINDS—Seasonal changes in size, female fecundity and male potency in *Culicoides melleus* (DIPTERA: CERATOPOGONIDAE).....151
LITTRELL, J. F. see Theis et al.
LOOMIS, E. C. see Schmidtmann et al.
MACHADO-ALLISON, C. E. see Gómez et al.
MAGNARELLI, L. A.—Physiological age of mosquitoes (DIPTERA: CULICIDAE) and observations on partial blood-feeding.....445
MAGNARELLI, L. A.—Seasonal occurrence and parity of *Aedes canadensis* (DIPTERA: CULICIDAE) in New York State, U.S.A.....741
MAGNARELLI, L. A. & E. W. CUPP—Physiological age of *Simulium tuberosum* and *Simulium venustum* (DIPTERA: SIMULIIDAE) in New York State, U.S.A.....621
MAIN, A. J., W. G. DOWNS, R. E. SHOPE & R. C. WALLIS—Avalon and Clo Mor: Two new Sakhalin group viruses from the North Atlantic.....309
MAIN, A. J., R. E. SHOPE & R. C. WALLIS—Cape Wrath: A new Kemerovo group orbivirus from *Ixodes uriae* (ACARI: IXODIDAE) in SCOTLAND.....304
MARÍN, JOSÉ see Chadwick et al.
MAROUN, NABILA A. & KARIM A. KAMAL—Biochemical and physiological studies of certain ticks (IXODOIDEA). Absence of sterol biosynthesis in *Dermacentor andersoni* Stiles (ACARINA: IXODIDAE).....219
MARTIN, MARIANO see Chadwick et al.
MCDANIEL, H. A. see Rogoff et al.
MCDANIEL, IVAN N. see Bentley et al.
MULLA, MIR S. & HAROLD AXELROD—Attractancy of putrefied animal and plant proteins to the eye gnat *Hippelates collusor* (DIPTERA: CHLOROPIDAE).....497
MULLA, MIR S. see Charlet et al.
MULLEN, GARY R.—Acarine parasites of mosquitoes. IV. Taxonomy, life history and behavior of *Thyas barbigera* and *Thyasides sphagnorum* (HYDRACHNELLAE: THYASIDAE).....475
MUMCUOGLU, YANI—House dust mites in Switzerland. I. Distribution and taxonomy.....361
NELSON, BERNARD C. & CHARLES R. SMITH—Ecological effects of a plague epizootic on the activities of rodents inhabiting caves at Lava Beds National Monument, California..... 51
NELSON, BERNARD C. see Westrom et al.
NELSON, W. A., J. F. BELL, C. M. CLIFFORD & J. E. KEIRANS—Interaction of ectoparasites and their hosts.....389
NERI, P. see Ota et al.
NEWSON, H. D. see Zimmerman et al.
NORMENT, B. R. & JAMES H. JARRATT—Electrophoresis and electrofocusing of venom of *Loxosceles reclusa* Gertsch & Mulaik (ARANEIDA: SCYTODIDAE).....143
OKIWELU, S. N.—Observations of resting sites of *Glossina morsitans morsitans* (DIPTERA: MUSCIDAE) during the wet season in the Republic of Zambia, Africa.....595
OLIVER, M. N. see Schmidtmann et al.
OTA, W. K., H. M. S. WATKINS, P. NERI, M. L. SCHMIDT & J. R. SCHMIDT—Arbovirus recoveries from mosquitoes collected in Gambela, Illubabor Province, Ethiopia, 1970.....173
OYA, AKIRA see Doi et al.
PARTONO, FELIX see Atmosoedjono et al.
PARTONO, F. see Lien et al.

PATTERSON, J. F. see Schofield & Patterson
PAYNE, WILLIAM J., JR, JOHN R. COLE, JR, EDWARD L. SNODDY & HERMAN R. SIEBOLD—The eye gnat *Hippelates pusio* as a vector of bacterial conjunctivitis using rabbits as an animal model.....599
PEARSON, J. E. see Rogoff et al.
PENCE, DANNY B. & STANLEY D. CASTO—Studies on the variation and morphology of the *Ptilonyssus "sairae"* complex (ACARINA: RHINONYSSINAE) from North American passeriform birds..... 71
PETERSON, PAUL C. see Atyeo & Peterson
PHILLIS, WILLIAM A. III & HARVEY L. CROMROY—The microanatomy of the eye of *Amblyomma americanum* (ACARI: IXODIDAE) and resultant implications of its structure.....685
PILLAI, J. S., T. L. WONG & T. J. DODGSHUN—Copepods as essential hosts for the development of a *Coelomomyces* parasitizing mosquito larvae..... 49
PRICE, M. A. see Gladney et al.
PRICE, ROGER D. see Hellenthal & Price
PRINCE, F. M., R. B. EADS & A. M. BARNES—*Traubella*, a new genus of flea (SIPHONAPTERA: CERATOPHYLLIDAE) 162
PURNOMO see Atmosoedjono et al.
RABINOVICH, JORGE E. see Gómez et al.
RAMINANI, L. N. & E. W. CUPP—The histopathology of thermally induced sterility in *Aedes aegypti* (DIPTERA: CULICIDAE) 603
RATCLIFFE, BRETT C.—A case of tarantula-induced papular dermatitis.....745
READY, P. D. see Killick-Kendrick et al.
RICHARDS, A. GLENN see Richards et al.
RICHARDS, PATRICIA A., A. GLENN RICHARDS & A. C. HODSON—Development and variation in flanges on the proventriculus of larvae of *Aedes aegypti* (DIPTERA: CULICIDAE).....517
ROBERTS, L. W. & D. M. ROBINSON—Efficiency of transovarial transmission of *Rickettsia tsutsugamushi* in *Leptotrombidium arenicola* (ACARI: TROMBICULIDAE).....493
ROBINSON, D. M. see Roberts & Robinson
ROGERS, ANDREW J. see Williams & Rogers
ROGOFF, WM. M., G. H. GRETZ, T. B. CLARK, H. A. MCDANIEL & J. E. PETERSON—Laboratory transmission of exotic Newcastle disease virus by *Fannia canicularis* (DIPTERA: MUSCIDAE).....617
ROLSETH, B. M. see Thomas et al.
ROSEN, LEON see Gubler & Rosen
ROWLEY, WAYNE A. see Andrews et al.
ROZEBOOM, LLOYD E. see Hoyer & Rozeboom 13(2), 13(4–5)
SAKAI, RICHARD K. see Baker & Sakai
SANCHEZ-MEDINA, MARIO see Charlet et al.
SARA, GREGORY J. see Bull & Sara
SASA, MANABU see Doi et al.
SAUL, STEPHEN H., MICHAEL J. SINSKO, PAUL R. GRIMSTAD & GEORGE B. CRAIG, JR—Identification of sibling species, *Aedes triseriatus* and *Ae. hendersoni*, by electrophoresis.....705
SCHMIDT, J. R. see Ota et al.
SCHMIDT, M. L. see Ota et al.
SCHMIDTMANN, E. T., R. B. BUSHNELL, E. C. LOOMIS, M. N. OLIVER & J. H. THEIS—Experimental and epizootiologic evidence associating *Ornithodoros coriaceus* Koch (ACARI: ARGASIDAE) with the exposure of cattle to epizootic bovine abortion in California.....292
SCHOFIELD, C. J. & J. W. PATTERSON—Assembly pheromone of *Triatoma infestans* and *Rhodnius prolixus* nymphs (HEMIPTERA: REDUVIIDAE).....727
SCHRECK, C. E., NELSON SMITH & H. K. GOUCK—Repellency of *N,N,*-diethyl-*m*-toluamide (deet) and 2-hydroxyethyl cyclohexanecarboxylate against the deer flies *Chrysops atlanticus* Pechuman and *Chrysops flavidus* Wiedemann.....115
SEAWRIGHT, J. A., P. E. KAISER, N. L. WILLIS & D. A. DAME—Field competitiveness of double translocation heterozygote males of *Aedes aegypti* (L.).....208
SEIBOLD, HERMAN R. see Payne et al.
SEMTNER, P. J. & JAKIE A. HAIR—The ecology and behavior of the lone star tick. X. Adult overwintering and survival in woodlots.....216
SERVICE, M. W.—Mortalities of the immature stages of species B of the *Anopheles gambiae* complex in Kenya: Comparision between rice fields and temporary pools, identification of predators, and effects of insecticidal spraying.....535
SHIRASAKA, AKIKO see Doi et al.
SHOPE, R. E. see Main et al. 13(3): 304, 309
SINGH, MULKIT see Ho et al.

SINSKO, MICHAEL J. see Saul et al.
SMITH, C. R. see Nelson & Smith
SMITH, NELSON see Schreck et al.
SNODDY, EDWARD L. see Payne et al.
SNOW, W. F. & T. J. WILKES—Age composition and vertical distribution of mosquito populations in The Gambia, West Africa.....507
SOUSA, OCTAVIO E. & ABDIEL J. ADAMES—Geographical extension in a new ecological association of *Panstrongylus humeralis* (HEMIPTERA: REDUVIIDAE), natural host of *Trypanosoma cruzi* in Panama.....748
STARK, HAROLD E., EDUARDO G. CAMPOS & ROBERT E. ELBEL—Description of the third-instar larva of *Monopsyllus wagneri* (Baker) (SIPHONAPTERA: CERATOPHYLLIDAE).....107
STIEHL, BARBARA see Bentley et al.
STILLER, DAVID—Report of a new bat fly of the genus *Ascodipteron* Adensamer, 1896 (DIPTERA: STREBLIDAE) parasitic on *Hipposideros diadema* (Geoffroy) in Malaysia.....374
TAKAHASHI, MITSUO—The effects of environmental and physiological conditions of *Culex tritaeniorhynchus* on the pattern of transmission of Japanese encephalitis virus.....275
TARSHIS, I. BARRY—Further laboratory studies on the rearing and feeding of *Cnephia ornithophilia* (DIPTERA: SIMULIIDAE) and the transmission of *Leucocytozoon simondi* by this black fly.....337
TEWFIK, HELMY R. & A. RALPH BARR—Paracentric inversion in *Culex pipiens*.....147
THEIS, J. H., C. E. FRANTI, E. ENGEL & J. F. LITTRELL—Changes in lymphatic fluid draining an area of inflammation induced by feeding *Rhipicephalus sanguineus* (ACARINA: IXODIDAE) on the dog..... 26
THEIS, J. H. see Schmidtmann et al.
THOMAS, A. W. & R. H. GOODING—Digestive processes of hematophagous insects. VIII. Estimation of meal size and demonstration of trypsin in horse flies and deer flies (DIPTERA: TABANIDAE).....131
THOMAS, A. W., B. M. ROLSETH & R. H. GOODING—Digestive processes of hematophagous insects. IX. Some properties of two trypsins from female horse flies and deer flies (DIPTERA: TABANIDAE).....341
TIMM, ROBERT M. see Benton & Timm
TRAUB, ROBERT—*Tiflovia*, a new genus of pygiopsyllid flea from New Guinea, with notes on convergent evolution and zoogeography (SIPHONAPTERA).....658
TRIPATHI, C. P. M. see Chaudhry & Tripathi
TURNER, E. C., JR see Hall & Turner, see Williams & Turner
UILENBERG, GERRIT—*Amblyomma loculosum* (IXODIDAE): First record from continental Africa.....516
VAN PEENEN, P. F. D. see Hadi et al.
VARMA, M. G. R. & J. D. CONVERSE—Keterah virus infections in four species of *Argas* ticks (IXODOIDEA: ARGASIDAE) 65
WALLIS, R. C. see Main et al. 13(3): 304, 309
WASHINO, ROBERT K.—The physiological ecology of gonotrophic dissociation and related phenomena in mosquitoes.....381
WASSEF, HILDA Y. see Hoogstraal et al.
WATKINS, H. M. S. see Ota et al.
WEIDHAAS, D. E. see Haile & Weidhaas
WESTROM, DALE R., BERNARD C. NELSON & GUY E. CONNOLLY—Transfer of *Bovicola tibialis* (Piaget) (MALLOPHAGA: TRICHODECTIDAE) from the introduced Fallow Deer to the Columbian Black-tailed Deer in California.....169
WILKES, T. J. see Snow & Wilkes
WILKINSON, P. R.—Effect of herbicidal killing of shrubs on abundance of adult *Dermacentor andersoni* (ACARINA: IXODIDAE) in British Columbia.....713
WILLIAMS, CHARLENE F.—New distribution record for *Dermacentor hunteri* Bishopp (ACARI: IXODIDAE)..... 98
WILLIAMS, DAVID F. & ANDREW J. ROGERS—Vertical and lateral distribution of stable flies in northwestern Florida 95
WILLIAMS, R. E. & E. C. TURNER, JR—An improved laboratory larval medium for *Culicoides guttipennis* (Coq.) (DIPTERA: CERATOPOGONIDAE).....157
WILLIS, N. L. see Seawright et al.
WONG, T. L. see Pillai et al.
WONG, YAU W. see Andrews et al.
YAP, EU-HIAN see Ho et al.
YATAGAI, MITSUYOSHI see Bentley et al.
ZAHAR, A. R. see Brown et al.
ZIMMERMAN, J. H., H. D. NEWSON, G. R. Hooper & H. A. CHRISTENSEN—A comparison of the egg surface structure of six anthropophilic phlebotomine sand flies (*Lutzomyia*) with the scanning electron microscope (DIPTERA: PSYCHODIDAE).....574
Announcement.....336

Book Reviews.....106, 192, 217, 221, 378, 380, 388, 472, 594, 750, 751
Guide for Contributors.....119
Note.....346
Note (Corrigendum).....718
Notice.....136
Obituary.....48
Publication Announcement.....142
Review Articles.....1, 121, 225, 381, 389, 629
Scientific Notes.....49, 98, 216, 219, 222, 223, 374, 375, 379, 506, 514, 515, 516, 625, 627, 628, 745, 748
Editorial Acknowledgments.....752
General Index.....753
Vertebrate Index.....766
Contents of Vol. 13.....iii

PUBLICATION DATES FOR VOLUME 13

No. 1, 29 May 1976
No. 2, 10 September 1976
No. 3, 8 December 1976
No. 4–5, 31 January 1977
No. 6, 20 June 1977